


canxida



CANXIDA FAQs

ALL YOU NEED TO KNOW

www.canxida.com

CanXida Product FAQ - INTRODUCTION

At CanXida, we understand that you may have numerous questions about our products. To assist you better, we've compiled this comprehensive PDF which contains detailed answers to hundreds of the most frequently asked questions related to our offerings.

However, we recognize that every individual's needs are unique, and you might have specific queries or require further clarification. In such cases, we're here to help!

- **Email Us:** Feel free to drop us an email at support@canxida.com and our team will get back to you as soon as possible.
- **Call Us:** You can reach out to us at **+1 (888) 508-3171**. We are available from Monday to Friday between 9am – 10pm ET, and on weekends from 8am – 5pm ET.
- **Online Chat:** If you prefer real-time assistance, you can also chat with our experts online. Simply visit our website and look for the chat option.

Q: What is the 242 method?	10
Q: What are the benefits of CanXida Formula RMV?	10
Q: How Many Tablets Of CanXida Formula RMV Should I Take For Mild, Moderate Or Severe Case?	11
Q: CanXida Formula RMV VS Nystatin, Which Is Better & Can I Take Both Together?	11
Q: What Are The Benefits Of A Buffered Vitamin C Like C 3K Plus?	12
Q: Can I Eat Sugar While Taking CanXida?	12
Q: What Do I Do? I've Been On CanXida For One Week And Have Had Zero Results!	13
Q: Is CanXida Formula RMV Effective Without Following A Candida Diet?	13
Q: Does Taking Higher Doses Of CanXida Help Treat Candida Faster?	13
Q: Can Any Additional Antifungal Medicines Be Taken With CanXida Formula RMV?	14
Q: My Progress Has Regressed After Finishing The CanXida Protocol. What Should I Do?	15
Q: How Long Should I Wait To Take CanXida After I Stopped Another Antimicrobial Product?	15
Q: Candida Supplements On Amazon VS CanXida Formula RMV	15
Q: Does CanXida Help With Oral Thrush?	16
Q: How Do I Know I Need Canxida?	16
Q: Is There A Generic Equivalent Of CanXida Formula RMV?	17
Q: Is CanXida Formula RMV Any Good For Intestinal Inflammation Or Diarrhea?	17
Q: Is CanXida Formula RMV Good For All Fungal Infections Or Just Candida?	18
Q: Can Taking Garlic & CanXida At the Same Time Cause Issues?	18
Q: Does CanXida Formula RMV Interact With Any Other Medications?	19
Q: Can CanXida Cause Constipation?	19
Q: Will There Be A Point When 3 Tablets of CanXida Formula RMV A Day Are No Longer Effective?	20
Q: Why Do People Take CanXida Products?	20
Q: Should I Start Formula RMV And Formula RST At The Same Time?	21
Q: How Often Can You Take CanXida Products?	21
Q: How To Combine CanXida Formula RMV and C3K Plus and Omega 3 For Best Results?	22
Q: Is There Any Liver Damage From Using CanXida Products For 3 Months?	22

Q: Do I Take CanXida Formula RBD With The Other CanXida Products?	23
Q: Does CanXida Formula RST Balance Acidity Of The Stomach? Is It Good For Gastritis?	24
Q: Can I Take CanXida Products Just At Night?	24
Q: Why Is There Cotton Inside The CanXida Bottle?	25
Q: Can I Give CanXida To My Pet Dog?	25
Q: How does CanXida Remove (Formula RMV) help in cleansing the gut?	25
Q: What diet modifications are suggested along with CanXida Remove (Formula RMV)?	26
Q: How were the ingredients selected for CanXida Remove (Formula RMV)?	27
Q: How does CanXida Remove (Formula RMV) work against yeast, bad bacteria, and parasites?	27
Q: Are there any side effects or contraindications associated with CanXida Remove (Formula RMV)?	28
Q: How long does it typically take to see results from using CanXida Remove (Formula RMV)?	29
Q: How does CanXida Remove (Formula RMV) ensure it doesn't harm beneficial gut bacteria?	29
Q: Is CanXida Remove (Formula RMV) safe for people with specific dietary restrictions or allergies?	30
Q: Is CanXida Remove (Formula RMV) recommended only for severe gut issues, or can it be used for mild or preventive purposes as well?	30
Q: Why is CanXida Remove (Formula RMV) a sustained-release supplement, and what are the benefits of this?	30
Q: What is the significance of the 12 ingredients mentioned, and why were they specifically chosen?	32
Q: What does it mean that some ingredients are standardized? How does it affect the efficacy of the product?	32
Q: How does CanXida Remove (Formula RMV) target all parts of the GI tract?	33
Q: How were the potencies of the ingredients measured or determined?	33
Q: What scientific research or studies back up the selection of these ingredients?	34
Q: How do you ensure the quality of the raw materials used in CanXida Remove (Formula RMV)?	36
Q: Are there any certifications or quality assurance for CanXida Remove (Formula RMV)'s ingredients?	36
Q: How were the dosage and proportions of the ingredients tested?	36

Q: Why is it not advisable to take a single ingredient in large amounts?	37
Q: Can you provide more information about the third-party labs mentioned?	37
Q: What studies or research support the claim that yeast, bad bacteria, and parasites cannot become resistant to natural ingredients?	38
Q: How does CanXida Remove (Formula RMV) ensure it doesn't harm beneficial bacteria or contribute to leaky gut?	38
Q: How do the natural ingredients in CanXida Remove (Formula RMV) compare to synthetic alternatives in terms of efficacy?	39
Q: Can you provide more information about the studies mentioned that confirm the effectiveness of grapefruit seed extract (GSE)?	40
Q: Why does CanXida Remove (Formula RMV) use a standardized extract of GSE? What benefits does this offer?	40
Q: Is there any risk of adverse reactions or allergies to GSE?	41
Q: What research or studies support the benefits of berberine concentrate?	41
Q: Why does CanXida Remove (Formula RMV) use berberine concentrate instead of the whole herb or other forms of berberine?	42
Q: How does clove work to prevent the formation of hyphae and contribute to the healing of leaky gut?	42
Q: Are there any risks or side effects associated with taking cloves in large amounts?	42
Q: How does aged garlic extract work against Candida?	43
Q: Are there any risks or side effects associated with taking garlic in large amounts?	43
Q: Does taking CanXida Remove (Formula RMV) lead to a garlic taste in the mouth? If so, how can this be mitigated?	44
Q: How does CanXida Remove (Formula RMV) ensure its garlic extract is well-tolerated, especially by people who are sensitive to garlic?	44
Q: Can you provide more information about the studies that support the effectiveness of caprylic acid against yeast and bad bacteria?	45
Q: Why does CanXida Remove (Formula RMV) use caprylic acid instead of the other MCT oils found in coconut?	45
Q: Are there any risks or side effects associated with caprylic acid?	45
Q: How does caprylic acid contribute to the overall effectiveness of CanXida Remove (Formula RMV)?	46
Q: How does caprylic acid work in synergy with undecylenic acid?	46
Q: Are there any risks or side effects associated with undecylenic acid?	46
Q: Why does CanXida Remove (Formula RMV) contain multiple ingredients with similar functions?	47

Q: What is the rationale behind the dosages of the different ingredients in CanXida Remove (Formula RMV)?	47
Q: How does betaine hydrochloride work to re-acidify the stomach?	47
Q: Are there any risks or side effects associated with betaine hydrochloride?	48
Q: Are there any risks or side effects associated with black walnut hull extract?	53
Q: Is it safe for people with nut allergies to take CanXida Remove (Formula RMV)?	48
Q: Are there any risks or side effects associated with pau d'arco?	49
Q: Are there any risks or side effects associated with neem?	49
Q: Are there any risks or side effects associated with biotin?	49
Q: Are there any risks or side effects associated with oregano oil?	49
Q: How does CanXida Remove (Formula RMV) prevent die-off reactions?	50
Q: Can CanXida Remove (Formula RMV) be crushed into a powder and added to a smoothie or other food?	50
Q: How does CanXida Remove (Formula RMV) target all parts of the digestive system?	51
Q: Who is the ideal customer for CanXida Remove (Formula RMV)?	51
Q: Can CanXida Remove (Formula RMV) be used as a preventative measure after potential exposure to contaminated food?	52
Q: How does CanXida Remove (Formula RMV) contribute to reducing inflammation in the gut?	52
Q: Can CanXida Remove (Formula RMV) be used for conditions like small intestinal bacterial overgrowth (SIBO), inflammatory bowel disease (IBD), irritable bowel syndrome (IBS), constipation, diarrhea, eczema, leaky gut, severe gas and bloating, sugar cravings, and parasite infections?	53
Q: What are the benefits of the other CanXida formulas: Restore and Rebuild?	53
Q: Should customers take Restore and Rebuild along with CanXida Remove (Formula RMV)?	54
Q: How does CanXida Rebuild help boost the immune system?	54
Q: Can CanXida Remove (Formula RMV) be taken alongside other medications?	55
Q: Is CanXida Remove (Formula RMV) suitable for children? If so, what is the recommended dosage?	55
Q: Can CanXida Remove (Formula RMV) help with non-digestive related symptoms, like skin conditions or mood swings, that could be tied to gut health?	56
Q: What are some of the most significant changes or improvements customers have reported after using CanXida Remove (Formula RMV)?	56

Q. Does CanXida Remove (Formula RMV) need to be cycled (taken for a certain period, then stopped, then started again) or can it be taken continuously?	57
Q. What dietary changes or habits are recommended to enhance the effects of CanXida Remove (Formula RMV)?	57
Q. How quickly can one expect to see improvements in their gut health after starting CanXida Remove (Formula RMV)?	58
Q. What should one do if they experience any side effects or adverse reactions after taking CanXida Remove (Formula RMV)?	58
Q. How are the proportions of the different ingredients in CanXida Remove (Formula RMV) determined? Is there a specific ratio that maximizes efficacy?	59
Q. What is the significance of standardized extracts in CanXida Remove (Formula RMV)? How does standardization impact the potency and efficacy of the product?	59
Q. What is the rationale behind not including any prebiotics in the CanXida Restore formula?	60
Q. How does CanXida Restore ensure that the probiotics it contains survive stomach acid to reach the small intestine?	60
Q. Can you provide more technical details about how CanXida Rebuild supports the immune system and helps prevent nutrient deficiencies?	61
Q. How does the time-released capsule in CanXida Restore work?	61
Q. How do you ensure ingredients in CanXida Remove (Formula RMV) don't neutralize each other's effects?	62
Q. Why are certain ingredients standardized to a particular percentage of active compounds? How does this affect their potency?	62
Q. How does CanXida Remove (Formula RMV) help to re-acidify the stomach environment? Can you explain more about this process?	63
Q. How does CanXida Remove (Formula RMV) promote the balance of gut flora? What mechanisms are involved? Can you provide more information about the pH-balancing effect of CanXida Remove (Formula RMV) in the gut?	63
Q. How does CanXida Remove (Formula RMV) ensure the effectiveness of its formula even if the gut environment varies widely among individuals?	64
Q. Can you provide more details about how CanXida Remove (Formula RMV) aids in breaking down biofilms created by harmful organisms?	64
Q. How were the specific strains of probiotics chosen for CanXida Restore?	65
Q. Can you provide more technical details about the enzymes present in CanXida Restore and how they aid digestion?	65
Q. How does the timing of taking CanXida Remove (Formula RMV), Restore, and Rebuild affect their effectiveness? Is there a specific schedule customers should follow?	66

Q. What is the bioavailability of the ingredients in CanXida Remove (Formula RMV)? How do you ensure the ingredients are effectively absorbed?	67
Q. How does CanXida Remove (Formula RMV) manage to work systemically, impacting not just the digestive system but also other systems in the body?	67
Q. Can you explain more about how CanXida Remove (Formula RMV) helps with detoxification processes in the body?	68
Q. How does CanXida Remove (Formula RMV) work to maintain the balance of gut microbiota over time? Does it promote the growth of beneficial bacteria?	68
Q. How does the body metabolize and excrete the ingredients in CanXida Remove (Formula RMV)? Are there any potential impacts on liver or kidney function?	69
Q. Can you explain more about the process of developing the CanXida Restore formula? How were the specific probiotics and enzymes chosen?	69
Q. What measures are taken to ensure that CanXida Remove (Formula RMV) does not cause irritation or damage to the gut lining?	70
Q. How does CanXida Remove (Formula RMV) help prevent the recurrence of Candida overgrowth or bacterial imbalance?	70
Q. What is the mechanism behind CanXida Remove (Formula RMV)'s ability to inhibit the formation of hyphae in Candida species?	71
Q. Are there any strains that CanXida Remove (Formula RMV) might not be effective against?	71
Q. How does CanXida Remove (Formula RMV) help with food sensitivities?	72
Q. How does CanXida Remove (Formula RMV)'s mechanism of action differ in the small intestine versus the large intestine?	72
Q. What are the mechanisms behind how CanXida Remove (Formula RMV) aids in the digestion of food and absorption of nutrients?	73
Q. How do the ingredients in CanXida Remove (Formula RMV) work at a cellular level to combat harmful organisms and promote gut health?	73
Q. Can you provide more technical information on how the enzymes in CanXida Restore aid in the digestion of proteins, fats, and carbohydrates?	74
Q. Can you provide more technical details about the effectiveness of CanXida Remove (Formula RMV) against parasitic infections?	75
Q. How does CanXida Remove (Formula RMV) contribute to the regulation of gut motility? Does it have any impact on conditions like constipation or diarrhea?	75
Q. Can you provide more technical details about how CanXida Remove (Formula RMV) impacts the gut-brain axis?	76
Q. What are the specific mechanisms by which CanXida Remove (Formula RMV) helps to reduce sugar cravings?	76

Q. How does CanXida Remove (Formula RMV) contribute to maintaining a healthy weight? Does it interact with metabolic processes?	76
Q. How does CanXida Remove (Formula RMV) aid in the production of short-chain fatty acids in the gut?	77
Q. How does CanXida Remove (Formula RMV) impact the production and balance of gut neurotransmitters like serotonin?	77
Q. How does CanXida Remove (Formula RMV) contribute to the balance of electrolytes in the gut?	77
Q. Can you provide more technical details about how CanXida Remove (Formula RMV) supports liver function and aids in detoxification processes?	78
Q. Can CanXida Remove (Formula RMV) be integrated into a therapeutic dietary plan, such as a low FODMAP diet or an anti-inflammatory diet?	78
Q. How does CanXida Remove (Formula RMV) interact with other holistic interventions, like herbal remedies, acupuncture, or stress management techniques?	79
Q. Are there any contraindications or precautions for using CanXida Remove (Formula RMV) in individuals with specific health conditions, such as autoimmune diseases, hormonal imbalances, or metabolic disorders?	79
Q. How does CanXida Remove (Formula RMV) support gut health in relation to other body systems, like the endocrine system or the immune system?	79
Q. How does CanXida Remove (Formula RMV) support the body's natural detoxification pathways? Does it aid in liver function, lymphatic drainage, or elimination processes?	80
Q. Can CanXida Remove (Formula RMV) be used as part of an elimination diet or a Candida diet plan?	80
Q. Are there any known interactions of CanXida Remove (Formula RMV) with common supplements recommended by naturopaths, such as probiotics, digestive enzymes, or adaptogenic herbs?	81
Q. Is there a protocol or recommended approach for gradually introducing CanXida Remove (Formula RMV) to clients, particularly those with sensitive systems or severe gut imbalances?	81
Q. Can CanXida Remove (Formula RMV) be used alongside other gut healing supplements such as L-glutamine, collagen, or bone broth?	82
Q. Are there any considerations or special instructions for using CanXida Remove (Formula RMV) in clients with a history of chronic antibiotic use?	82
Q. Are there any circumstances or conditions under which you would recommend against using CanXida Remove (Formula RMV)?	83
Q. How does CanXida Remove (Formula RMV) interact with prescription medications, such as antibiotics or antifungals? Are there any known interactions that practitioners should be aware of?	83

Q. Can CanXida Remove (Formula RMV) be used as a preventative measure for patients with a high risk of gut dysbiosis, such as those who frequently travel or those under high stress?	84
Q. How does CanXida Remove (Formula RMV) work in cases of stubborn or recurrent Candida overgrowth that hasn't responded to other treatments?	84
Q. Can CanXida Remove (Formula RMV) be used in protocols for patients with other fungal overgrowths, such as mold exposure or mycotoxin illness?	85
Q. Are there any considerations for using CanXida Remove (Formula RMV) in clients with a history of gastrointestinal surgeries, such as gastric bypass or gallbladder removal?	85
Q. Does CanXida Remove (Formula RMV) have any effects on nutrient absorption? Should it be taken away from certain supplements or medications to prevent interactions?	86
Q. Are there any specific dietary recommendations that should be followed while taking CanXida Remove (Formula RMV) to enhance its effectiveness?	86
Q. Can CanXida Remove (Formula RMV) be used in conjunction with therapies like fecal microbiota transplant (FMT) or probiotic enemas?	87
Q. Are there any common misconceptions or mistakes that practitioners should be aware of when recommending CanXida Remove (Formula RMV) to their patients?	87
Q. Is CanXida Remove (Formula RMV) effective as a standalone treatment, or should it be combined with other interventions for optimal results?	88
Q. Can CanXida Remove (Formula RMV) be safely used in protocols for patients with histamine intolerance or Mast Cell Activation Syndrome (MCAS)?	88
Q. Are there any specific contraindications or precautions for using CanXida Remove (Formula RMV) with clients who have autoimmune conditions?	89
Q. Does CanXida Remove (Formula RMV) address other aspects of gut health, such as bile production, digestive enzyme secretion, or stomach acid regulation?	89
Q. Can CanXida Remove (Formula RMV) be used as a preventative measure in clients with a predisposition to gut dysbiosis, such as those with a family history of autoimmune disease or gut disorders?	89
Q. Does CanXida Remove (Formula RMV) support gut health in clients undergoing treatments that may impact the gut microbiome, such as chemotherapy or long-term antibiotic use?	90
Q. How does CanXida Remove (Formula RMV) support the balance of electrolytes in the gut, which is crucial for overall gut health and function?	90

Q: What is the 242 method?

The 242 method is a smart way to take the CanXida Formula RMV. It involves starting with a low dosage for 2 weeks, then increasing the dosage to a higher level for 4 weeks, and then tapering back down to the lower dosage for 2 weeks. This helps to prevent the yeast and bacteria in your gut from becoming resistant to the supplement.

If you are sensitive to CanXida Formula RMV, start with one tablet a day for 2 or 3 days. Then, try to increase the dosage to 2 or 3 tablets per day with meals. If you still feel comfortable, you can increase the dosage to 4 or 6 tablets per day for the treatment phase.

The 242 method can be used for CanXida Formula RST as well. However, you can start with 2 capsules per day in the induction phase and increase to 3 capsules per day in the treatment phase.

You can additionally follow these tips with the 242 methods:

- Take CanXida Formula RMV with food to help reduce side effects.
- Drink plenty of fluids to help flush out toxins.
- Eat a healthy diet that is low in sugar and processed foods.
- Avoid alcohol and caffeine.
- Get regular exercise.

It is important to listen to your body and adjust the dosage as needed. If you experience any side effects, such as diarrhea or bloating, reduce the dosage. If you have any questions or concerns, be sure to talk to your doctor.

Watch the detailed video here:

<https://youtu.be/Spl4D6Jjkis?si=DPt-U8YkWjeDHiWj>

Q: What are the benefits of CanXida Formula RMV?

CanXida Formula RMV is a simple and effective product that can help you clean up your gut and improve your overall health. It is clinically proven to work against yeast, bacteria, and parasites. And it is supported by a wealth of information, including articles, videos, and a diet plan. Here are the five key benefits of CanXida Formula RMV:

- You only need one product.
- Simple things work the best.
- It has been clinically proven since 2014.
- It works on yeast, bacteria, and parasites.
- It is supported by a wealth of information.

If you are looking for a simple and effective way to improve your gut health, CanXida Formula RMV is a great option.

Watch the detailed video here:

<https://youtu.be/xglwD19Oqd8?si=GU2OKZfHK9EYu53>

Q: How Many Tablets Of CanXida Formula RMV Should I Take For Mild, Moderate Or Severe Case?

Start slowly, even for severe cases. You don't want to experience any discomfort. A good starting point is one to two tablets per day for mild cases, and two to three tablets per day for moderate or severe cases. Gradually increase the dosage to your tolerance level, being mindful of any changes in your bowel movements or discomfort levels.

Don't be afraid to go through a little bit of discomfort. It's often a sign that the product is working. But don't beat yourself up too much either. If you're experiencing too much discomfort, reduce the dosage. Be patient and consistent. Healing takes time. Don't jump ship if you don't see results immediately. Stick with the protocol, even when things get tough.

Here are some additional tips:

- Take CanXida Formula RMV with meals to reduce side effects.
- Drink plenty of fluids to help flush out toxins.
- Eat a healthy diet that is low in sugar and processed foods.
- Avoid alcohol and caffeine.
- Get regular exercise.

If you have any questions or concerns, be sure to talk to your doctor.

Watch the detailed video here:

https://youtu.be/n0Gf9jv4-GU?si=pULTt_Cz9WBUStI9W

Q: CanXida Formula RMV VS Nystatin, Which Is Better & Can I Take Both Together?

The main difference between Nystatin and CanXida is that Nystatin is a one-way drug that only works on yeast, while CanXida is a more complex product that works on a variety of pathogens. CanXida is also better absorbed by the body, which means that it can be more effective at treating systemic yeast infections.

It is not recommended to take Nystatin and CanXida together. This is because the two products can interact and cause side effects. It is also not necessary to take both products, as CanXida is effective on its own.

If you are considering taking CanXida, it is also important to start slowly and increase the dosage gradually. This is because CanXida can also cause some side effects, such as diarrhea and bloating. It is also important to talk to your doctor before taking CanXida, especially if you have any underlying health conditions.

Watch the detailed video here:

<https://youtu.be/-6cUC5dLQUQ?si=-XcsTMfab2Gna8ZU>

Q: What Are The Benefits Of A Buffered Vitamin C Like C 3K Plus?

Buffered vitamin C powder is a great choice because it is gentle on the stomach, allows for higher doses, and improves uptake, stomach acid production, and immune system function. It also helps the adrenal glands boost production of adrenal hormones that lower stress levels and allow you to adapt to your surroundings more readily.

If you are looking to boost your immune system, buffered vitamin C powder is a great option because it won't make you feel sick.

Watch the detailed video here:

<https://youtu.be/yiSTMoeEJ3os?si=HjsRh3YIINxNuUIE>

Q: Can I Eat Sugar While Taking CanXida?

If you are trying to clean up your gut, eating sugar is not a good idea. It will only feed the bad bacteria and yeast, and make your symptoms worse. There are many natural sweeteners that are better for you, such as honey and xylitol. If you really want to eat sugar, try to limit yourself to a small amount and spit it out after. This will help you to realize how bad sugar makes you feel.

Watch the detailed video here:

https://youtu.be/ISQ_xq6H7IY?si=LMBzTHAxx-BFxhNv

Q: What Do I Do? I've Been On CanXida For One Week And Have Had Zero Results!

It takes time to recover from illness, and there is no quick fix. If you want to get better, you need to make changes to your life, such as eating a healthy diet, getting enough sleep, and managing stress. You should also be patient and understand that recovery is a process that takes time.

Watch the detailed video here:

<https://youtu.be/QiqwPsNQNxA?si=RcU-I5dGhGf5QAhT>

Q: Is CanXida Formula RMV Effective Without Following A Candida Diet?

CanXida Formula RMV is most effective when used in conjunction with a diet containing the MEVY components: meats or alternative sources of protein, eggs, vegetables, and yogurt. This diet is also generally good for your overall health and well-being.

Here are some tips for following a natural lifestyle:

- Get plenty of sleep. Go to bed and wake up at the same time each day, even on weekends.
- Eat regular meals and snacks. Avoid skipping meals and eating late at night.
- Drink plenty of water. Aim for eight glasses per day.
- Avoid processed foods, sugary drinks, and excessive caffeine.
- Eat plenty of fruits, vegetables, and whole grains.
- Exercise regularly. Aim for at least 30 minutes of moderate-intensity exercise most days of the week.

Following a natural lifestyle will help you get the most out of CanXida Formula RMV and improve your overall health and well-being.

Watch the detailed video here: https://youtu.be/ucsrpEGHxqk?si=42pHyi_IzYlFF_Rj

Q: Does Taking Higher Doses Of CanXida Help Treat Candida Faster?

Taking higher doses of CanXida will not necessarily help you overcome the yeast infection faster. In fact, it may even have negative side effects. It is important to test and measure your progress to see if the product is effective for you. If you are

not getting anywhere, you should stop taking it and consult with a healthcare professional.

You may also want to consider staggering the doses of CanXida, going low for a while, high for a short period of time, then stopping for a few days. There are different ways to approach this, and taking high doses consistently is not a guarantee that you will get the desired outcome.

Watch the detailed video here: <https://youtu.be/uRhwl5Yi3XU?si=azl1siKaTjQGngjZ>

Q: Can Any Additional Antifungal Medicines Be Taken With CanXida Formula RMV?

If you are struggling with gut health issues, such as yeast infections or parasites, there are a few things you can do to help yourself. First, eat a healthy diet that includes plenty of fresh fruits, vegetables, and herbs. Some particularly beneficial herbs for gut health include ginger, garlic, parsley, sage, thyme, and rosemary. You can add these herbs to your meals or make herbal teas or infusions.

In addition to eating a healthy diet, you may also want to consider taking a grapefruit seed extract supplement. Grapefruit seed extract is a powerful antifungal and antimicrobial agent, and it can be very effective in treating gut infections. However, it is important to note that grapefruit seed extract is a very potent substance, and it should be used with caution. If you are considering taking grapefruit seed extract, it is best to work with a qualified practitioner who can help you determine the correct dosage for your individual needs.

Finally, be patient and give yourself time to heal. It takes time to rebuild a healthy gut microbiome, and you may not see results immediately. However, if you are consistent with your diet and supplementation, you should start to feel better over time.

Watch the detailed video here:
https://youtu.be/ipP7ucdE6NY?si=Dn3E_U35NE-pg5uB

Q: My Progress Has Regressed After Finishing The CanXida Protocol. What Should I Do?

It is common to feel fantastic after the first 30-60 days of the Candida Crusher program. However, setbacks are normal. Recovery takes time and patience. Don't beat yourself up over setbacks. Keep moving forward by making small, incremental changes over time. Find a support system and don't be afraid to ask for help.

Additional tip: Remember, strong wind builds strong trees. Challenges and setbacks can actually help us to grow and become stronger. So, next time you experience a setback, don't see it as a failure. See it as an opportunity to learn and grow.

Watch the detailed video here:

<https://youtu.be/zfbf3C1wW9U?si=GvpBhvNen7ZSwQda>

Q: How Long Should I Wait To Take CanXida After I Stopped Another Antimicrobial Product?

If you are not sure when to start taking CanXida, it is always best to consult with a healthcare professional. However, in general, you can start taking CanXida as soon as you have stopped taking any other antifungal products. It is important to start with a low dosage and increase gradually to avoid any adverse reactions.

- If you have been taking product XYZ for a long time and had a great effect with it, but then stopped, you may want to try increasing the dosage of product XYZ before switching to CanXida.
- If you have been on product XYZ for a long time and had little to no effect, you can generally start taking CanXida right away.
- If you are still experiencing adverse effects from product XYZ, wait until those effects have subsided before starting CanXida.

It is also important to note that everyone reacts to different products differently. What works for one person may not work for another. So, it is important to be patient and to listen to your body. If you start taking CanXida and experience any adverse reactions, stop taking it immediately and consult with a healthcare professional.

Watch the detailed video here:

<https://youtu.be/7clqfLXPiCg?si=OI2YYJOhRMw4DI07>

Q: Candida Supplements On Amazon VS CanXida Formula RMV

CanXida products are not on Amazon because the company does not like working with Amazon. Additionally, CanXida products are expensive because they are made with high-quality ingredients and are formulated by a clinician who has a deep understanding of gut health.

Many Candida products on Amazon are not well-formulated. Some products simply dump a variety of herbs and other ingredients together without any clear rationale. Other products contain ingredients that are not relevant to Candida treatment.

In contrast, CanXida products are designed to work together as a system. The products are also made with high-quality, standardized ingredients. CanXida products are worth the investment because they are effective and made with the highest quality ingredients.

If you are looking for a Candida product that is effective and made with high-quality ingredients, CanXida is a good option to consider.

Watch the detailed video here:

<https://youtu.be/OY4BvKpAMYg?si=YDZr7TlrFZUzhTyn>

Q: Does CanXida Help With Oral Thrush?

CanXida products can help with oral thrush, but only if you also eat a clean diet. Oral thrush is often caused by a yeast overgrowth, and CanXida products can help to kill the yeast and clean up your digestive system. However, if you continue to eat foods that feed the yeast, such as sugar and processed foods, the oral thrush will likely come back.

To get rid of oral thrush, it is important to eat a diet that is rich in fresh fruits, vegetables, and whole grains. You should also avoid sugary drinks, processed foods, and alcohol.

Watch the detailed video here:

<https://youtu.be/lia-4wNCTw0?si=twUMH-fvSFTifOjq>

Q: How Do I Know I Need Canxida?

You should always be careful when taking any dietary supplements and only take supplements if you have a need for them. Always talk to your doctor or a registered dietitian first to see if a supplement is right for you. Do not take supplements for years on end without knowing if they are actually doing anything for you. If you do not feel any improvement after taking a supplement for 7-10 days, then it is probably not doing anything for you and you should stop taking it. Also do not take supplements in isolation. This means that you should also make lifestyle and dietary changes to address the underlying cause of your health problems. For example, if you are taking a supplement for gut health, you should also make sure to eat a healthy diet and exercise regularly.

CanXida is a dietary supplement that is designed to improve gut health. However, it is important to note that CanXida is not a miracle and it should be used in conjunction with other lifestyle and dietary changes.

Watch the detailed video here:

<https://youtu.be/Spl4D6Jjkis?si=DPt-U8YkWjeDHiWj>

Q: Is There A Generic Equivalent Of CanXida Formula RMV?

There is no generic equivalent of CanXida Formula RMV. It is a unique product that was created to fill a gap in the market. CanXida Formula RMV is made with high-quality ingredients and is carefully formulated to be effective.

Some people try to save money by taking multiple different antifungal and antibacterial supplements. However, this can be expensive and may not be as effective as taking CanXida Formula RMV. CanXida Formula RMV is a one-stop product that contains all of the ingredients you need to kill yeast and clean up your digestive system.

Watch the detailed video here:

<https://youtu.be/VaGwMopdwR0?si=DI DMfeupDLnkZuCT>

Q: Is CanXida Formula RMV Any Good For Intestinal Inflammation Or Diarrhea?

CanXida Formula RMV is a good product for intestinal inflammation or diarrhea. It can help to kill yeast and bacteria, and to improve the gut flora.

If you have diarrhea, it is important to find the cause of the diarrhea so that you can treat it effectively. CanXida Formula RMV can help to treat diarrhea caused by parasites, yeast, or bacteria. If you have IBD or IBS, CanXida Formula RMV can help to reduce inflammation and improve gut health. If you have acute blood coming from the back passage, you should see a doctor immediately. This could be a medical emergency.

Overall, CanXida Formula RMV is a safe and effective product that can help to improve gut health and reduce intestinal inflammation and diarrhea.

Watch the detailed video here:

<https://youtu.be/eOjw2d0wRdQ?si=pV9e92mBCtmlOhKk>

Q: Is CanXida Formula RMV Good For All Fungal Infections Or Just Candida?

Yes, CanXida Formula RMV is effective for other types of yeasts, such as tinea (athlete's foot), ringworm, and other cutaneous (skin) presentations of yeast. It is also effective for difficult-to-treat Candida species.

CanXida Formula RMV is effective because it contains a combination of 12 different ingredients that work together to kill yeast and improve the gut flora. It is a safe and effective product that can help to clear up your infection and improve your overall gut health.

Watch the detailed video here:

<https://youtu.be/HZRic7iDyTY?si=HuOWrO0kxutuaxcw>

Q: Can Taking Garlic & CanXida At the Same Time Cause Issues?

If you are taking CanXida Formula RMV and want to incorporate garlic into your diet, start slowly and add it gradually. You can start by adding one small clove of garlic to your food and see how you feel. If you tolerate it well, you can gradually increase the amount of garlic you consume.

You can follow these tips while incorporating garlic into your diet:

- Add garlic to the final stages of cooking. This will help to preserve the garlic's nutrients and flavor.
- Crush or chop garlic before adding it to your food. This will help to release its active ingredients.
- Mix garlic with lemon juice and olive oil to create a dressing for salads or vegetables.
- Add garlic to your favorite recipes, such as soups, stews, and stir-fries.

It is important to note that garlic can be strong on an empty stomach. If you experience any discomfort, such as heartburn or nausea, after eating garlic, stop consuming it or reduce the amount of garlic you are eating. Garlic is a healthy food that can have many benefits for your health, including boosting your immune system and reducing inflammation. However, it is important to introduce garlic into your diet slowly and in moderation, especially if you are taking CanXida Formula RMV.

Watch the detailed video here:

https://youtu.be/Gg8nj7Raaxc?si=MO_AF7UkoPucpxr7

Q: Does CanXida Formula RMV Interact With Any Other Medications?

CanXida Formula RMV may interact with other medications, especially if you are taking large amounts of many different types of drugs. This is because drugs can toxify the body and many people do not drink enough water, which can make the problem worse.

If you are taking one or two pharmaceuticals, it is not usually an issue to also take CanXida Formula RMV. However, if you are taking other dietary supplements, it is important to talk to your doctor to make sure that there are no interactions. It is best to use CanXida products in a gut and digestive system that is free from pharmaceuticals and other dietary supplements. If you are taking large amounts of either of these things, it is a good idea to talk to your doctor about how to cut back.

If you are on a few prescriptions, it is not usually an issue to also take CanXida Formula RMV. However, it is always best to work under the guidance of your doctor.

Watch the detailed video here: https://youtu.be/dfprAwd2plA?si=3_f9Lp72ltoB7FIX

Q: Can CanXida Cause Constipation?

CanXida products should not cause constipation. However, there are a few things that can increase your risk of constipation while taking CanXida products, including:

- Not drinking enough water
- Taking too much CanXida product at once
- Not eating the right types of foods to support the product's effectiveness
- If you are experiencing constipation while taking CanXida products, try drinking more water, taking a smaller dosage of the product, and eating more fiber-rich foods.

Here are some additional tips for preventing constipation:

- Chew your food thoroughly.
- Eat plenty of fruits, vegetables, and whole grains.
- Avoid processed foods, sugary drinks, and excessive caffeine and alcohol.
- Get regular exercise.

If you are still experiencing constipation after making these changes, talk to your doctor.

Watch the detailed video here:

<https://youtu.be/EDt7Kd6c8Nk?si=WLOX9NErxf0BdFvm>

Q: Will There Be A Point When 3 Tablets of CanXida Formula RMV A Day Are No Longer Effective?

The dosage of CanXida Formula RMV will vary depending on the individual and their specific situation. If you are new to CanXida Formula RMV, it is best to start with a lower dose and gradually increase it as tolerated. You can also follow the 2-4-2 protocol, which involves taking 2 tablets a day for 1-2 weeks, then 4 tablets a day for 4-6 weeks, and then 2 tablets a day for 1-2 weeks.

It is important to listen to your body and adjust the dosage as needed. If you experience any side effects, reduce the dosage or stop taking CanXida Formula RMV altogether. It is also important to talk to your doctor before taking CanXida Formula RMV, especially if you are pregnant, breastfeeding, or have any underlying health conditions.

Here are some additional tips for taking CanXida Formula RMV:

- Take CanXida Formula RMV with food to avoid stomach upset.
- Drink plenty of water throughout the day to help flush out toxins and prevent constipation.
- Follow a healthy diet that is low in sugar and processed foods.
- Get regular exercise to help boost your immune system.

If you have any questions or concerns about taking CanXida Formula RMV, please consult with a healthcare professional.

Watch the detailed video here:

<https://youtu.be/esrY9Estu-Q?si=cVs5g3-Dkpxmxbk9>

Q: Why Do People Take CanXida Products?

People take CanXida products for a variety of reasons, including:

- To improve gut health after eating something dodgy
- To reduce inflammation in the gut
- To pull yeast numbers down
- To create balance and harmony in the digestive system
- To treat chronic or acute gut problems, such as irritable bowel syndrome, inflammatory bowel disease, constipation, and diarrhea

- To improve overall health and well-being, as the gut is known as the "second brain" and plays a major role in overall health

CanXida products can be taken for short, intermediate, or long durations. For long-term use, it is recommended to use the 242 Protocol, which involves taking the products for a few weeks, then backing off, then starting again.

Watch the detailed video here:

<https://youtu.be/qTYJyqPbOOk?si=GmI5NeTuitLBg2iR>

Q: Should I Start Formula RMV And Formula RST At The Same Time?

You can start CanXida Formula RMV and Formula RST at the same time. It is often beneficial to start with a low dose of both products at the beginning. You can take one capsule of CanXida Formula RST per day and cut the CanXida Formula RMV tablet in half if you are concerned about your digestive system. If you experience any discomfort, reduce the dosage or stop taking the products altogether.

CanXida Formula RMV and Formula RST are designed to be used together, so you can start them both at the same time. However, it is important to listen to your body and adjust the dosage as needed.

Watch the detailed video here:

<https://youtu.be/7hy3eeVCY9A?si=oTnE9porHDm4icPi>

Q: How Often Can You Take CanXida Products?

There is no one-size-fits-all answer to how often to take CanXida products, as the dosage and duration of treatment will vary depending on the individual and their specific situation. However, it is important to note that supplements work best when the diet is supportive of their use. This means eating a healthy diet, drinking plenty of water, and avoiding processed foods and sugary drinks.

In general, it is best to start with a low dose of CanXida products and gradually increase the dosage as tolerated. If you experience any side effects, reduce the dosage or stop taking the products altogether. It is also important to talk to your doctor before taking CanXida products, especially if you have any underlying health conditions. Here are some additional tips for taking CanXida products:

- Take the products with food to avoid stomach upset.
- Drink plenty of water throughout the day to help flush out toxins and prevent constipation.
- Follow a healthy diet that is low in sugar and processed foods.

- Get regular exercise to help boost your immune system.

Watch the detailed video here:

https://youtu.be/lczDq8MRj18?si=w6300GZ5w-A_3X68

Q: How To Combine CanXida Formula RMV and C3K Plus and Omega 3 For Best Results?

CanXida products, vitamin C, and Omega 3 are all beneficial supplements that can be taken together. However, it is important to combine them correctly to get the most benefit and avoid any side effects.

Vitamin C is a water-soluble vitamin, meaning that it dissolves in water and is not stored in the body. It is important to take vitamin C away from meals to avoid interfering with digestion. It is also best to take vitamin C in the morning, between breakfast and lunch, or between lunch and dinner.

Omega 3 is a fat-soluble vitamin, meaning that it dissolves in fat and is stored in the body. It is best to take Omega 3 with meals, preferably meals with a bit of fat. This will help the body absorb the Omega 3 more effectively.

CanXida Formula RMV is a supplement that is designed to help remove Candida from the body. It can be taken with or without food, but it is best to take it with food to avoid stomach upset.

Here's how to combine these supplements:

- Vitamin C: Take vitamin C in water away from meals, either in the morning, between breakfast and lunch, or between lunch and dinner.
- Omega 3: Take Omega 3 with meals, preferably meals with a bit of fat.
- CanXida Formula RMV: Take CanXida Formula RMV with food.

You can take up to two scoops of vitamin C per day, two doses of Omega 3 per day, and two to three doses of CanXida Formula RMV per day. It is important to listen to your body and adjust the dosage as needed. If you experience any side effects, reduce the dosage or stop taking the products altogether.

Watch the detailed video here:

<https://youtu.be/xMUXia431HQ?si=zVhIOpoobNMS1PP->

Q: Is There Any Liver Damage From Using CanXida Products For 3 Months?

It is generally safe to take CanXida for three to four months, especially if you have a normal liver function and do not drink excessive amounts of alcohol. However, if you have any concerns, it is always best to talk to your doctor before taking any supplements, especially if you have any underlying health conditions.

Watch the detailed video here:

https://youtu.be/Z0a3M_gJTO0?si=6zzKve-AcoZs5EKW

Q: Do I Take CanXida Formula RBD With The Other CanXida Products?

CanXida Formula RST, Formula RMV, and Formula RBD are all important products that can be used together to support a healthy gut.

- Formula RMV: Formula RMV is a cleansing product that helps to remove toxins, parasites, and excess yeast from the gut.
- Formula RST: Formula RST is a probiotic and enzyme supplement that helps to restore the balance of good bacteria in the gut.
- Formula RBD: Formula RBD is a multivitamin and mineral supplement that helps to fill any nutritional deficiencies and support the gut lining.

While it is not essential to take all three products together, doing so can provide the most comprehensive support for gut health.

Here is a general guide on how to take CanXida Formula RST, Formula RMV, and Formula RBD:

- Start by taking Formula RMV for 2-4 weeks to cleanse the gut.
- Then, add Formula RST to your routine, taking it 1-3 times per day.
- You can start taking Formula RBD at any time during the protocol, but it is often recommended to wait until you have been taking Formula RMV and Formula RST for a few weeks.
- If you have a healthy diet, you may not need to take Formula RBD every day. You can start by taking it 1-3 times per week and see how you feel.

Watch the detailed video here:

<https://youtu.be/aBnoTJMLCEq?si=z91FVJWWo-nyyTnC>

Q: Does CanXida Formula RST Balance Acidity Of The Stomach? Is It Good For Gastritis?

CanXida Formula RST is a probiotic and enzyme supplement that can be beneficial for gut health. However, it is important to be careful when taking it if you have gastritis.

If you have gastritis, it is important to identify and address the cause of your condition. This may involve changing your diet, reducing stress, or taking medication. Once the underlying cause has been addressed, you may be able to start taking CanXida Formula RST.

It is important to start with a low dose of CanXida Formula RST and gradually increase the dose as tolerated. If you experience any side effects, such as increased stomach pain or bloating, reduce the dose or stop taking the product altogether.

If you have active gastritis, it is best to avoid taking CanXida Formula RST until your condition has improved. This is because the enzymes in the product may irritate your stomach lining.

Watch the detailed video here:

<https://youtu.be/liIMBNmS4Yo?si=3di3JPJg-BnJWjWN>

Q: Can I Take CanXida Products Just At Night?

CanXida products work best when taken six to eight hours apart. This is because the ingredients are released gradually over time, providing a more sustained effect on the gut.

It is better to take CanXida products two or three times per day, rather than just at night. This will help to ensure that the ingredients are constantly present in the gut and working to promote gut health. If you can, take CanXida products in the morning, at noon, and at night. This will provide the most prolonged action and the best possible results. However, if you can only take CanXida products once per day, it is better to take them in the morning than at night. This is because the gut is more active during the day, so the ingredients will be absorbed more effectively.

It is important to listen to your body and adjust the dosage and frequency of intake as needed. If you experience any side effects, reduce the dosage or stop taking the products altogether.

Watch the detailed video here: <https://youtu.be/9VitujiEHkl?si=oKcEVg5noXFGY17j>

Q: Why Is There Cotton Inside The CanXida Bottle?

The cotton in dietary supplement bottles is there to protect the tablets from getting crushed during shipping. Formula Formula RMV is a unique supplement that has been difficult to formulate in a tablet form. But it works the best as a tablet rather than a capsule for example. We have had some issues with the compression of the tablets, but they still work perfectly fine. If you are concerned about the size or hardness of the tablets, please don't worry. They are safe and effective.

Watch the detailed video here:

<https://youtu.be/Hlk8g2ABKNM?si=cVl6pXX07mxzFC7a>

Q: Can I Give CanXida To My Pet Dog?

You can give Formula Formula RMV to your pet dog, but it's probably not necessary. One tablet per day should be fine, but you may not see any benefits from giving your dog Formula Formula RST, which is an enzyme probiotic. If you do decide to give your dog CanXida Formula RMV, be sure to adjust the dosage according to their size. For example, a chihuahua would not need as many tablets as a larger dog.

Watch the detailed video here:

https://youtu.be/9N2N2e4GNn4?si=ZCUYBsdQASV_Uw3M

Q: How does CanXida Remove (Formula RMV) help in cleansing the gut?

CanXida Remove helps in cleansing your gut by combining 12 carefully chosen, potent, natural ingredients which target bacteria, yeast, and parasites all at once.

Not only do these ingredients target bacteria, yeast and parasites, but they also leave the good bacteria in your gut untouched, allowing them to multiply and restore a healthy, natural balance.

CanXida Remove is a sustained release formula, this gives you the best chance of absorbing each ingredient effectively throughout the day while minimizing the chance of side effects by not overloading you with everything all at once.

Q: What diet modifications are suggested along with CanXida Remove (Formula RMV)?

When modifying your diet to maximise your results while taking CanXida Remove, you will be focusing both on not just what to add to your diet, but also what to remove from your diet, both of these factors play a huge role in your results.

The most important foods to remove are:

- High sugar ingredients such as: White sugar, honey, molasses, maple syrup, agave and any similar products.
- White flour
- Takeaway food
- Candy & Chocolate
- Alcohol
- Sodas and Fruit Juices
- Sauces (Unfortunately they typically contain a lot of sugar and salt)
- Refined, highly processed salty snacks including potato chips and pretzels

This is not easy to do, and luckily, you won't necessarily have to remove these forever, but for now, it's best to eliminate them to stop feeding the bad bacteria, yeast and parasites present in your digestive system.

Now that you've eliminated the foods that are doing you harm, you can focus on the foods you're encouraged to add, a big focus should be on fresh, unprocessed and nutritional foods such as:

- High quality protein such as beef, chicken, shellfish and eggs.
- If you're a vegetarian or vegan, you can substitute the above for high protein plant foods including: Tofu, lentils, beans, seeds and some nuts.
- Fresh vegetables, especially dark, leafy greens like spinach, cabbage, collard greens and kale
- Nuts: Stick to the higher protein options such as almonds, brazil nuts and hazelnuts and consume only raw, unsalted versions. No roasted and salted nuts.
- Fruits are best avoided in your first 2 weeks due to their high fructose content, some blueberries are acceptable but try not to over do it.

We recommend you visit your closest farmers market to get the best quality produce you can find, it is typically far more nutritious and delicious than supermarket produce.

If you do go to a supermarket, aim to buy mostly from the perimeter of the store e.g. the meat and vegetable sections and avoid the aisles in the middle filled with processed foods.

If you make these changes and you find yourself becoming constipated, lower your meat intake slightly while keeping your vegetable intake high until things start to improve.

Q: How were the ingredients selected for CanXida

Remove (Formula RMV)?

1. Potency: How strong was the effect of the ingredient when we studied it?
2. Band Of Action: How many pathogens did the ingredient target? Did it target just candida or did it also target other yeast species, bad bacteria and parasites?
3. Quality Of Raw Ingredients: Where did the raw materials come from? Does the supplier have lab work showing how much active ingredient is in each batch? Are they free of contaminants and toxins?

A note of caution: Just because an herb is effective, it doesn't mean you can single it out and just take that one herb in large amounts, it doesn't work that way.

We want to have balanced actions within the body, not have a massive action in one narrow direction.

Q: How does CanXida Remove (Formula RMV) work against yeast, bad bacteria, and parasites?

CanXida Remove works against yeast, bad bacteria and parasites by combining carefully selected, potent ingredients to target these while leaving your good bacteria intact.

We include Grapefruit Seed Extract (GSE) because it was discovered by Korean scientists to destroy the cell membranes of over 100 different yeast cell species along with over 800 different pathogenic bacteria WHILE IGNORING beneficial flora (your good bacteria).

We include Berberine, a natural antibiotic found in herbs such as Goldenseal and Barberry (*berberis vulgaris*) because it has a broad-spectrum application in that it not only weakens candida but is also effective against some of the nastiest bad bacteria such as e coli, staph aureus giardia, entamoeba histolytica, trichomonas vaginalis, leishmania donovani as well as several well-known parasites.

We also include Clove, another herb very effective against yeasts and parasites, clove contains a substance called eugenol which a 2009 study at the University of Porto, Portugal, discovered RUPTURES & DESTROYS yeast cells upon contact.

They also found that it almost entirely prevents Candida Albicans from producing hyphae, which are branching filaments that Candida & other fungi use to penetrate the gut wall & spread to other parts of the body. Eugenol was even found to be effective against yeast strains that had become resistant to "azole" medications, one of the most common anti-fungal drugs used to treat yeast infections.

In addition to these 3, we include another 9 ingredients, bringing the total to 12 potent ingredients designed to help you eliminate yeast, bad bacteria and parasites.

Q: Are there any side effects or contraindications associated with CanXida Remove (Formula RMV)?

CanXida remove is a natural herbal solution that's safe even for children and is unlikely to cause side effects in anyone.

However, if you are allergic to garlic, clove, walnut or walnut tree, CanXida Remove may not be suitable for you.

Even without any allergy, very occasionally a customer will experience mild gastric discomfort when taking CanXida remove for the first time, if this occurs, stop taking it for 1 to 2 days or until the discomfort subsides.

From there, re-introduce it at a dose of just 1 tablet per day, taken after food.

If all is well after this first day, you can increase your serving size to 2 per day or even 3 and continue from there.

**** "Grapefruit seed extract has well known interactions with many medications, including blood thinners, immunosuppressants, statins, benzos, and more. We advise against using grapefruit seed extract if you are taking any medication." - Whole grapefruit extract and also grapefruit juice pose a much bigger risk but technically grapefruit seed extract could still be considered a risk.*

Q: How long does it typically take to see results from using CanXida Remove (Formula RMV)?

Most people are fortunate enough to notice something within their first week, and for some people, within the first 24 hours.

However, this depends on a lot of factors and every person is different.

The integrity of your gut, your dietary choices and your lifestyle choices all play a big role in how well CanXida Remove can work for you.

To give yourself the best chance of getting the most out of the product, we highly recommend you eat a healthy diet, sleep a full 8+ hours per night and minimize stress where possible.

As with most things related to your health, eating well and living well are the most important factors in achieving change, supplements are the icing on the cake and they help expedite your progress.

Also, if you're feeling good after taking 1 tablet per day, you can move up to 2 tablets per day and then 3 (one with each meal) to maximize your chances of getting the results you're after and achieving noticeable results.

If you find yourself experiencing symptoms such as gas or bloating, reduce your dosage back to just 2 per day and stay consistent from there.

Past a certain point, more is not necessarily better and will not speed up your results, so please do not exceed 3 to 4 tablets per day otherwise you may risk making yourself sick,

Q: How does CanXida Remove (Formula RMV) ensure it doesn't harm beneficial gut bacteria?

All of the ingredients in CanXida Remove have been carefully selected to help with removing yeast, bad bacteria and parasites.

However, unlike pharmaceutical drugs such as antibiotics, these natural extracts are more targeted and far less harsh and tend to leave your good bacteria alone.

For example, broad spectrum antibiotics tend to kill bacteria indiscriminately in your gut, causing you to have to rebuild your gut flora almost entirely from scratch once you've completed your course of antibiotics.

But Grapefruit Seed Extract (GSE), the first ingredient in CanXida Remove, has been shown to kill up to 800 different pathogenic bacteria while ignoring beneficial flora.

Q: Is CanXida Remove (Formula RMV) safe for people with specific dietary restrictions or allergies?

Yes.

CanXida Remove is Vegan friendly, Vegetarian friendly, Paleo, Keto, Auto immune diet friendly and so much more.

However, as it contains Garlic, Clove, Grapefruit Seed Extract and Black Walnut Hulls, it is not suitable for individuals with allergies to any of these.

Q: Is CanXida Remove (Formula RMV) recommended only for severe gut issues, or can it be used for mild or preventive purposes as well?

CanXida Remove can be used for cases ranging from mild to severe and can be used for preventative purposes as well.

Mild cases present an opportunity to get on top of your gut issues early before they are given the chance to evolve into a more severe case, so this is a fantastic time to add CanXida Remove to your routine.

As for preventative purposes, if you have a holiday coming up, you could benefit from taking CanXida remove before, during and after the holiday to prevent any gut issues occurring as a result of diet changes and over indulgence during your holiday.

Q: Why is CanXida Remove (Formula RMV) a sustained-release supplement, and what are the benefits of this?

When you swallow Canxida Remove, your digestive system doesn't get access to everything immediately, instead, it slowly breaks down in the gut over a period of several hours and this provides several advantages.

First of all you get stronger antifungal and herbal activity for a longer period of time.

Instead of being active in your system for a short period of time, CanXida Remove stays active throughout the day as it passes through your entire digestive system, this also allows us to put stronger doses of herbs and concentrates into this tablet while reducing the risks of side effects or adverse reactions.

If CanXida remove wasn't sustained release and all these ultra high potency standardized ingredients broke down instantly after you swallowed them, it would be too strong to tolerate for most people.

You'd be more likely to suffer from an adverse reaction, similar to if you did something naughty such as taking 10 tablets of CanXida Remove all at once (please don't do that by the way), you'd get a stomach ache and wouldn't feel so good.

That's why CanXida Remove is a sustained release formula, so you get all those anti-fungal, anti-bacterial and anti-parasite benefits spread out throughout the day instead of overwhelming you all at once.

Another benefit of taking a sustained release supplement is it helps prevent die off reactions, as you've likely heard, candida releases waste particles and toxins as it dies, and these can cause quite a lot of symptoms and make you feel quite lousy.

Especially if you try to get rid of it quickly by taking huge doses all at once.

CanXida Remove solves this problem by cleaning the gut slowly and over a longer period of time, that way the amount of toxins that get released in a short period of time is far less and your body is able to clean them up without a problem.

All of the individual particles inside CanXida remove are sustained release, meaning you can crush the tablet into powder or add it to a smoothie and still get the sustained release effect.

And finally, having CanXida being sustained release also allows it to target all parts of your digestive system including the mouth, stomach, intestines, colon and more.

Q: What is the significance of the 12 ingredients mentioned, and why were they specifically chosen?

The 12 ingredients in CanXida Remove were carefully selected so that the formula as a whole can be as effective as possible against ALL common species of Candida (Candida albicans, Candida tropicalis and Candida krusei).

This synergistic team of 12 ingredients is also effective against over 800 different species of bad bacteria and a broad spectrum of parasites.

And, not only is this combination of 12 ingredients effective against all of the above, but it does not harm beneficial bacteria, a feature which makes it stand out against traditional treatments such as antibiotics.

Q: What does it mean that some ingredients are standardized? How does it affect the efficacy of the product?

Standardized ingredients are those that have been tested to guarantee that the “active ingredient” inside an ingredient is present in a certain amount.

For example, when you’re trying to fit a lot of ingredients into a small, 2 capsule serving, you’re not going to be able to put an entire handful or spoonful of a traditional ingredient in there, for example, clove.

However, thanks to standardization, we’re able to concentrate down the most potent part of the plant (its active ingredients) and leave aside the non active parts of the plant such as water and fiber.

So, in the case of clove mentioned above, we give you a 4:1 extract, which means for every 1mg of clove (4:1 ratio) we give you is the equivalent to 4mg of clove, that’s 4 times!

And for the other ingredients which are standardized to a percentage, for example, Berberine Concentrate HCL (85% Standardized), this means that 85% of every mg we give you is pure berberine, to achieve this with a non-standardized extract from the barberry plant (the primary source of berberine in supplements) would take a much larger serving and again, not be able to fit in a 2 capsule serving.

Q: How does CanXida Remove (Formula RMV) target all parts of the GI tract?

Thanks to the team of 12 ingredients working hard for you, they each specialise in a different part of the GI tract starting from the mouth and going all the way through to the colon and beyond.

Though many of the ingredients in CanXida Remove can help improve the health of almost all parts of your GI tract, some ingredients specialise in certain areas more than others, here is a quick overview of the areas each ingredient specialize in:

Grapefruit Seed Extract (GSE) (45% standardized): Primarily the Stomach as well as The Intestines (Small and Large)

Berberine Concentrate HCL (85% standardized): The Large Intestine/Colon

Clove (4 : 1 ratio standardized): The Stomach

Garlic, aged extract (2% allicin standardized): The Intestines (Small and Large)

Caprylic Acid: The Stomach

Undecylenic Acid: The Stomach

Betaine HCL: The Stomach

Black Walnut Hull Extract: The Large Intestine

Pau d'arco (4:1 ratio standardized): The Intestinal Lining

Neem (4:1 ratio standardized): The Stomach

Biotin: Assists with nutrient breakdown in The Stomach and nutrient absorption in The Intestines (Small and Large)

Oregano Oil: The Intestines (Small and Large)

Q: How were the potencies of the ingredients measured or determined?

The potencies were carefully selected for maximum effect in removing candida, bacteria and parasites and a timed release function was chosen to help you maximize the effect of the product while minimizing the chances for any side effects by not giving you everything all at once.

The potencies are measured by the particular extracts we use, for example, we didn't just give you a regular garlic extract, we chose an aged garlic extract standardized for 2% allicin content (the active ingredient found inside garlic).

Combine that with our standardized Berberine and Grapefruit Seed Extracts along with the high potency 4:1 ratios of our Clove, Pau D'Arco and Neem extracts and this makes CanXida Remove far more potent than a formula using only regular kinds of ingredients and extracts.

Q: What scientific research or studies back up the selection of these ingredients?

Here we will share with you studies related to each ingredient in the formula:

Grapeseed Extract (GSE) (45% Standardized):

Grapefruit seed extract effectively inhibits the Candida albicans biofilms development:

[https://pubmed.ncbi.nlm.nih.gov/31136636/#:~:text=denture%2Dbase%20resin-,Grapefruit%20seed%20extract%20effectively%20inhibits%20the%20Candida%20albicans%20biofilms%20development,%3B14\(5\)%3Ae0217496](https://pubmed.ncbi.nlm.nih.gov/31136636/#:~:text=denture%2Dbase%20resin-,Grapefruit%20seed%20extract%20effectively%20inhibits%20the%20Candida%20albicans%20biofilms%20development,%3B14(5)%3Ae0217496).

Berberine Concentrate HCL (85% Standardized):

In vitro Antifungal Effects of Berberine Against Candida:

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6957002/#:~:text=Berberine%20exhibited%20significant%20antifungal%20activity,infections%20associated%20with%20antifungal%20resistance>.

Clove (4:1 Ratio Standardized):

Antifungal activity of the clove essential oil from Syzygium aromaticum on Candida: <https://pubmed.ncbi.nlm.nih.gov/19589904/>

Garlic, Aged Extract (2% allicin standardized):

Effects of Fresh Garlic Extract on Candida albicans:

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC538912/>

Caprylic Acid:

Short-Term Antifungal Treatments of Caprylic Acid:

<https://pubmed.ncbi.nlm.nih.gov/31334617/>

Undecylenic Acid:

Antifungal effects of undecylenic acid:

<https://pubmed.ncbi.nlm.nih.gov/26902505/>

Betaine HCL:

Gastric reacidification with betaine HCl in healthy volunteers with rabeprazole-induced hypochlorhydria:

<https://pubmed.ncbi.nlm.nih.gov/23980906/>

Black Walnut Hull Extract:

Black Walnut (*Juglans nigra*) Extracts Inhibit Proinflammatory Cytokine Production: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6761373/>

Pau d'arco (4:1 ratio standardized):

Antinociceptive and antiedematogenic properties and acute toxicity of *Tabebuia avellanedae* Lor. ex Griseb. inner bark aqueous extract:

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC56902/>

Neem (4 : 1 ratio standardized)

Assessment of Antimicrobial Effectiveness of Neem and Clove Extract Against *Streptococcus mutans* and *Candida albicans*:

<https://pubmed.ncbi.nlm.nih.gov/32180657/>

Biotin:

Biotin Regulates Colonization and Growth of *Candida albicans*:

<https://pubmed.ncbi.nlm.nih.gov/32886641/>

Oregano Oil:

Oregano essential oil inhibits *Candida*: <https://pubmed.ncbi.nlm.nih.gov/33915040/>

Q: How do you ensure the quality of the raw materials used in CanXida Remove (Formula RMV)?

All raw materials are tested twice to ensure potency, quality and safety. The first time they are tested is as individual ingredients by their supplier, these tests arrive with the ingredients to the manufacturer before they are used in any products.

The second time they are tested is once the formula is mixed together to make the final, finished product, tests are conducted not only by the manufacturer themselves, but also by a 3rd party laboratory to ensure that the product is potent, clean and safe for consumption.

Q: Are there any certifications or quality assurance for CanXida Remove (Formula RMV)'s ingredients?

There are quality assurance certificates supporting the safety and effectiveness of each individual ingredient plus additional certificates available supporting the final formula once it is mixed together.

These certificates address 2 key areas:

1. Potency: Ensuring the product contains the amount of each ingredient it promises.
2. Safety: Ensuring the product tests well within the safe range for any potential bacteria, mould and bacteria as well as contaminants such as heavy metals.

If you would like a copy of these certificates (give them the final formula ones, not the individual ones) you can request them via email at support@canxida.com

Q: How were the dosage and proportions of the ingredients tested?

The dosages in CanXida Remove were carefully chosen and tested to maximise your results while providing a time release function to reduce the risk of side effects.

Each ingredient was carefully studied and analysed to determine the ideal amount of ingredient to use in our CanXida proprietary blend.

The balanced, yet potent blend of ingredients in CanXida Remove also included standardized extracts, this means we provide you with more of the most potent and effective part of an ingredient and don't waste space in the formula with broad or generic extracts.

In regards to testing, all ingredients are tested for potency and purity TWICE, once by the supplier of the individual ingredient and again once all ingredients are combined into the final formula, ensuring you receive a safe and potent product every single time.

Q: Why is it not advisable to take a single ingredient in large amounts?

Each ingredient has a job to do, and taking a combination of ingredients results in a better chance of achieving your desired results while reducing the risks associated with taking too much of one ingredient.

With any individual ingredient, the more the dose goes up, the higher the risks of side effects.

And each ingredient has an optimal, effective dose, going higher than this doesn't provide any additional benefits, it only increases the risk of side effects.

All ingredients have a dosage to pay off ratio, and once you go past the optimal dose, you typically don't achieve any additional benefits, all you do is increase your risk of side effects, so we've provided you with an ideal dose of each ingredient without going too high on any one individual ingredient.

Q: Can you provide more information about the third-party labs mentioned?

Absolutely, so the good news is that all ingredients in CanXida Remove are tested a minimum of TWO times before getting to you.

Each individual ingredient is tested for metals, bacteria and other contaminants before arriving at the manufacturer, and once the product is blended together, the final finished product is then tested again as one unit just to be extra sure.

You are welcome to ask for these certificates at any time.

Q: What studies or research support the claim that yeast, bad bacteria, and parasites cannot become resistant to natural ingredients?

To demonstrate that yeast, bad bacteria and parasites cannot become resistant to the natural ingredients in CanXida Remove, here are several studies showing key ingredients from our formula being effective against already resistant bacteria.

So, not only can the CanXida Remove formula discourage resistance, it can also help remove already resistant bacteria and other pathogens.

Here is a study demonstrating where a key ingredient in CanXida Remove, Grapefruit Seed Extract (GSE) ***“showed antibacterial effects against methicillin-resistant S. aureus (MRSA) and vancomycin-resistant S. aureus (VISA)”***:

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7830962/#:~:text=They%20have%20shown%20antibacterial%20activity,diffusion%20and%20microdilution%20MIC%20tests.>

Here is a study where **“Berberine showed antimicrobial activity against all tested strains of MRSA (Methicillin-resistant Staphylococcus aureus)”**:
<https://pubmed.ncbi.nlm.nih.gov/16379555/>

Here is a study where Allium sativum (Garlic) extract inhibited the growth of a broad range of bacteria, including MDR (Multi Drug Resistant) strains with bactericidal (killing of bacteria) or bacteriostatic (preventing the reproduction of bacteria) effects: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8205873/>

Q: How does CanXida Remove (Formula RMV) ensure it doesn't harm beneficial bacteria or contribute to leaky gut?

Antibiotics are indiscriminate killers that target all bacteria, good, bad and everything in between.

However, the antibacterial ingredients in CanXida Remove such as Grapefruit Seed Extract (GSE), Garlic and clove have been shown to leave good bacteria unharmed, in addition to this, they also possess anti-inflammatory properties, further contributing to healing leaky gut.

Not only does CanXida Remove not contribute to leaky gut, but it can help improve symptoms thanks in main part to 3 ingredients which can improve digestion, therefore helping you break down your food more effectively and into smaller particles, these 3 ingredients are

- Betaine HCL
- Caprylic Acid
- Undecylenic Acid

It can also help by cleansing your gut, removing harmful bacteria, yeast and parasites and clearing the way for the next product we recommend:

We recommend adding CanXida Restore to your routine at the same time as CanXida Remove as this will provide additional enzymes and also probiotics to improve your microbiome, reduce inflammation and build up your mucosal layer in your intestines, therefore strengthening them even further and helping to protect against future leaky gut symptoms.

Q: How do the natural ingredients in CanXida Remove (Formula RMV) compare to synthetic alternatives in terms of efficacy?

Pharmaceutical drugs are typically the most potent and fastest acting option in most situations, however, this comes with a price in the form of potential side effects.

And when it comes to antibiotics and antifungal drugs used to treat candida, specifically the “zole” class of antifungal drugs, there are softer side effects such as headaches, nausea and stomach ache but there are also more serious ones such as hepatotoxicity (liver damage).

Antibiotics tend to be indiscriminate killers who successfully wipe out all bacteria in your gut, regardless if they’re good or bad, and, if you haven’t made effective diet and lifestyle changes, when your gut bacteria begin to multiply once more, they may contain even more of the “bad guys” than before.

By using natural ingredients, the results won’t arrive quite as fast but they’ll be more permanent and come with a far lower risk of any side effects, if any at all.

And, if you combine the natural ingredients in CanXida Remove with positive diet and lifestyle changes, you give yourself an even better chance of locking in your success for the long term.

Q: Can you provide more information about the studies mentioned that confirm the effectiveness of grapefruit seed extract (GSE)?

Absolutely, here are some studies confirming the effectiveness of Grapefruit Seed Extract (GSE) against various pathogens:

Grapefruit Seed Extract as a Natural Derived Antibacterial Substance against Multidrug-Resistant Bacteria:

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7830962/#:~:text=They%20have%20shown%20antibacterial%20activity,diffusion%20and%20microdilution%20MIC%20tests.>

Effects of grapefruit extract on the growth of the yeast--like fungi, dermatopytes and moulds: <https://pubmed.ncbi.nlm.nih.gov/16886437/>

The effectiveness of processed grapefruit-seed extract as an antibacterial agent:
<https://pubmed.ncbi.nlm.nih.gov/12165191/>

Q: Why does CanXida Remove (Formula RMV) use a standardized extract of GSE? What benefits does this offer?

When it comes to many botanical (from a plant) ingredients, there's one particular part of the plant which is the most potent.

In the case of Grapefruit Seed Extract, not only is it the seed of the grapefruit itself, but inside that seed is an abundance of potent nutrients such as citric acid, polyphenols, flavonoids, tocopherol, and ascorbic acids.

It is these nutrients which help make Grapefruit Seed Extract such a potent and useful addition to the CanXida Remove formula.

And, the specific extract we use has a very high rating of standardization (e.g. concentrating down the most potent part of an ingredient) of 45%.

This makes it far more potent than a generic extract of whole grapefruit seed which you may find in other products.

Q: Is there any risk of adverse reactions or allergies to GSE?

All ingredients can carry a risk of adverse reactions and Grapefruit Seed Extract (GSE) is no exception.

While most people will be absolutely fine with taking GSE every day, there are some cases where we recommend you check with your doctor first:

If you are on any of the following medications, please check first with your doctor before taking GSE:

- Blood thinners
- Immunosuppressants
- Statins
- Any other kind of prescription drugs being taken on a daily basis

Q: What research or studies support the benefits of berberine concentrate?

There is an absolute abundance of studies available demonstrating the benefits of berberine for a variety of conditions, below we have linked to several studies relevant to the antibacterial, antiviral and antifungal actions of berberine.

Effects of Berberine on the Gastrointestinal Microbiota:
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7933196/>

A Comparative Study of the Inhibitory Action of Berberine Derivatives on the Recombinant Protein FtsZ of E. coli: <https://pubmed.ncbi.nlm.nih.gov/36982749/>

Antibacterial activity and mechanism of berberine against Streptococcus agalactiae: <https://pubmed.ncbi.nlm.nih.gov/26191220/>

Berberine extracts and decoctions have demonstrated significant antimicrobial activity against a variety of organisms including bacteria, viruses, fungi and more: <https://pubmed.ncbi.nlm.nih.gov/10767672/>

Q: Why does CanXida Remove (Formula RMV) use berberine concentrate instead of the whole herb or other forms of berberine?

By using a concentrated and standardized version of Berberine in CanXida Remove, we are providing you with the most potent part of the herb in order to maximise results.

The theme of the CanXida Remove formula is to give you the most potent ingredients in the most appropriate dosages and with a time release function, standardized and concentrated extracts allow us to deliver this to you in a simple, 2 capsule per day serving rather than requiring you to take 5+ capsules to achieve an effective dose.

Q: How does clove work to prevent the formation of hyphae and contribute to the healing of leaky gut?

The following 3 studies explore the function of eugenol (an active component of clove) and its role in preventing the formation of hyphae:

- Antifungal activity of the clove essential oil from Syzygium aromaticum on Candida, Aspergillus and dermatophyte species:

https://www.researchgate.net/publication/26659006_Antifungal_activity_of_the_clove_essential_oil_from_Syzygium_aromaticum_on_Candida_Aspergillus_and_dermatophyte_species

- Eugenol: A novel therapeutic agent for the inhibition of Candida species infection: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9395595/>
- Antifungal Activity of Clove Essential Oil and its Volatile Vapour Against Dermatophytic Fungi: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3763181/>

By preventing new hyphae from forming, clove can dramatically improve your chances of successfully healing leaky gut.

Q: Are there any risks or side effects associated with taking cloves in large amounts?

Yes, however, this is very dose dependent and form dependent.

If you were to use a pure clove oil, you are more at risk of side effects and less is definitely more, it is best to use no more than 1 drop at a time and we recommend diluting it in a tablespoon of olive oil before applying it.

We also do not recommend swallowing clove in concentrated, liquid form as excessive amounts of clove can create the risk of liver toxicity.

The good news is that CanXida Remove uses a dry, 4:1 clove extract and not a highly concentrated liquid extract, this provides an effective dose while eliminating the risks that come with using a liquid concentrate.

Q: How does aged garlic extract work against Candida?

Garlic has very strong antifungal activity that works against candida and many other strains of yeast, and in some cases, garlic has even proven to be just as powerful as Ketoconazole or nystatin when it comes to treating fungal infections.

There are 2 main components of garlic that produce the anti-fungal activity:

- Allicin: An organosulfur compound that has antimicrobial, anti-fungal and anti-parasitic effects.
- Alliin: A powerful antioxidant that also acts as a precursor to Allicin.

In addition to the garlic contained in every serving of CanXida Remove, we encourage you to add garlic to your cooking as much as possible, remember to crush it first to release the oils and “activate” your garlic before cooking with it or eating it.

Q: Are there any risks or side effects associated with taking garlic in large amounts?

Yes, but they tend to be pretty mild effects such as bloating and gas, however if your intake becomes excessively high, you may experience additional, more serious effects such as acid reflux, stomach pain and even an increased risk of bleeding.

And, if you're taking blood thinning drugs such as warfarin, it is recommended you speak with your doctor first before taking large doses of garlic as you may be putting yourself at an increased risk of excessive bleeding.

Q: Does taking CanXida Remove (Formula RMV) lead to a garlic taste in the mouth? If so, how can this be mitigated?

Some customers have reported a mild garlic after taste when consuming CanXida Remove, but this is not always the case.

The good news is, CanXida Remove contains 3 digestion boosting ingredients:

- Betaine HCL
- Caprylic Acid
- Undecylenic acid

These ingredients can increase the acidity of your stomach, providing a healthy boost to your digestive powers and therefore reducing the chances of a garlic aftertaste.

All in all, when it comes to natural products, especially those containing herbs and spices such as garlic, the chances of some kind of aftertaste always exist. This is perfectly normal and any after taste tends to subside quite quickly in most people.

Q: How does CanXida Remove (Formula RMV) ensure its garlic extract is well-tolerated, especially by people who are sensitive to garlic?

By using an aged garlic extract with a standardized allicin content, we're able to deliver you a dose of garlic which allows you to benefit from its anti-fungal, anti-bacterial and anti-parasitic effects while reducing your chances of

experiencing an after taste, stomach upset or other related effects which can occur in people sensitive to garlic.

Taking CanXida Remove instead of an isolated garlic extract, or consuming large amounts of raw garlic is a great way to maximise the candida fighting effects while minimising the chances of experiencing any unwanted side effects.

Q: Can you provide more information about the studies that support the effectiveness of caprylic acid against yeast and bad bacteria?

We sure can, here are 4 studies examining the effectiveness of caprylic acid against bad bacteria including the particularly strong bad bacteria strains E-Coli and Salmonella.

Antibacterial effect of caprylic acid and monocaprylin on major bacterial mastitis pathogens: <https://pubmed.ncbi.nlm.nih.gov/16162522/>

Use of caprylic acid to control pathogens (Escherichia coli O157:H7 and Salmonella enterica serovar Typhimurium) in apple juice at mild heat temperature: <https://pubmed.ncbi.nlm.nih.gov/26257401/>

Antibacterial effects of hydrogen peroxide and caprylic acid on selected foodborne bacteria: <https://pubmed.ncbi.nlm.nih.gov/33006856/>

Synergistic antimicrobial activity of caprylic acid in combination with citric acid against both Escherichia coli O157:H7 and indigenous microflora in carrot juice: <https://pubmed.ncbi.nlm.nih.gov/25846927/>

Q: Why does CanXida Remove (Formula RMV) use caprylic acid instead of the other MCT oils found in coconut?

When it comes to boosting digestion by enhancing the acidity of your stomach acid, caprylic acid is the best choice among the fatty acids inside the MCT group.

And, in addition to that, caprylic acid is highly effective against candida thanks to its anti-fungal activity, a stand out feature which makes it an ideal fit for the CanXida Remove formula when compared to its peers in the MCT group of fatty acids.

Q: Are there any risks or side effects associated with caprylic acid?

At the dose found in CanXida Remove, you are unlikely to experience any side effects from taking caprylic acid.

However, if you were to increase your dosage, some people may experience stomach discomfort and at high enough doses, even a change in your tastebuds.

Also, if you are a frequent user of NSAID's (Non Steroidal Anti Inflammatory Drugs such as Ibuprofen e.g. Advil), we recommend you speak to your doctor first before taking caprylic acid, as there may be an interaction leading to unwanted side effects.

Q: How does caprylic acid contribute to the overall effectiveness of CanXida Remove (Formula RMV)?

There are 2 key ways that caprylic acid contributes to the overall effectiveness of the CanXida Remove formula.

1. Anti-Fungal and Anti-bacterial action - Caprylic acid has both antibacterial and antifungal actions, making it an ideal choice for fighting and removing a candida infection.
2. Enhancing digestion - Thanks to its ability to boost the Ph of your stomach acid and improve your digestive powers, caprylic acid can help prevent the resurgence of bad bacteria and yeast at a later time, it may also help improve recovery in people with leaky gut as enhanced digestive powers can prevent poorly digested particles of food passing through to the intestines.

Q: How does caprylic acid work in synergy with undecylenic acid?

Both caprylic acid and undecylenic acid work to boost the Ph of your stomach, thereby improving your digestive powers, helping you to break down your food properly and reduce chances of irritation in your intestines, something especially important in those who have ever experienced leaky gut.

Also, by creating this favourable acidic environment, they will work together to prevent the formation and multiplication of bad bacteria and yeasts such as candida, who will not be able to survive such conditions.

Q: Are there any risks or side effects associated with undecylenic acid?

Yes, but typically only at very high doses above and beyond what is found in CanXida Remove.

If you consume too much undecylenic acid at once you may experience nausea, headache, dizziness and drowsiness.

Undecylenic acid has no known major interactions with any prescription drugs and is fine to take in safe doses for most people.

Q: Why does CanXida Remove (Formula RMV) contain multiple ingredients with similar functions?

By dividing the formula into multiple ingredients, we're giving you 2 distinct advantages over taking a single ingredient in high doses.

1. The ingredients can work in synergy with each other to create a compounding effect and become even more effective VS being taken alone.
2. The chances of side effects are greatly reduced thanks to having effective doses of many ingredients rather than an overly high dose of one single ingredient.

Also, unlike many pharmaceutical drugs, the ingredients in CanXida Remove do not interact with each other in a negative way, so this is why taking multiple anti bacterial, anti fungal and anti parasitic ingredients at once can improve your chances of success without increasing the risk of side effects.

Q: What is the rationale behind the dosages of the different ingredients in CanXida Remove (Formula RMV)?

CanXida Remove was constructed in a way to maximize your chances of achieving the results you desire in removing candida and other yeast, bacterial or parasitic infections.

The dosages of ingredients are strong and effective, however, by giving you a broad spectrum of ingredients, we are also able to reduce the risk of unwanted side effects as there's no need to make the dosage of any one particular ingredient excessively high, something which is more likely to happen in a formula with only several ingredients.

Q: How does betaine hydrochloride work to re-acidify the stomach?

Betaine hydrochloride works to re-acidify the stomach by lowering the Ph, thereby improving the acidity of your stomach acid.

With a lower Ph, your digestive powers will improve and allow you to properly break down and digest your foods as well as unlock the nutrients within such as vitamins and minerals.

Another interesting thing is, many people who experience heartburn or reflux often assume the problem stems from an over-acidic stomach, but ironically, it's usually from an under-acidic stomach.

Q: Are there any risks or side effects associated with betaine hydrochloride?

Side effects are uncommon at regular doses, such as that found inside CanXida Remove, however, if you're currently on any prescription drugs related to stomach acid, acid reflux or digestion, please check with your doctor first before taking CanXida Remove or any other supplement containing Betaine HCL.

If you experience side effects such as nausea, bloating or stomach pain, please stop taking Betaine HCL immediately and see your doctor for advice before resuming.

Q: Are there any risks or side effects associated with black walnut hull extract?

Yes, but these are uncommon, especially considering the dosage found inside CanXida Remove.

Some people do experience mild side effects such as mild stomach upset, however, if you experience any of the following more severe side effects, please stop taking CanXida Remove immediately and contact your doctor for advice before resuming:

- Hives
- Itchy Skin
- Swelling of the face or throat

Q: Is it safe for people with nut allergies to take CanXida Remove (Formula RMV)?

The black walnut hull extract contained in CanXida Remove is, as the name suggests, an extract from the hull, rather than the nut itself.

This is because the hull is a great source of a substance called “tannins”, one of these being juglone, which has been shown to have powerful anti parasitic effects.

However, if you have a known nut allergy, we do advise you to ask your doctor first before consuming CanXida Remove or any other product containing Black Walnut Hull Extract.

Q: Are there any risks or side effects associated with pau d'arco?

In general, Pau D'arco is quite a low risk supplement to take and the chances of side effects are very low, however, they do still exist.

Reported side effects include nausea, diarrhea, and dizziness, some people have also reported anemia when taking Pau D'arco for a long duration of time.

However, these side effects typically only show up in doses much higher than what is contained within CanXida Remove.

Q: Are there any risks or side effects associated with neem?

Yes, though they are uncommon, they do exist, some reported side effects from taking neem are: Stomach upset, vomiting, loose stools and drowsiness.

If you are on prescription drugs for diabetes or pre-diabetes, for kidney issues, liver issues or are taking any kind of immunosuppressant drugs, please speak with your doctor first before taking any supplement containing neem, including CanXida Remove.

Q: Are there any risks or side effects associated with biotin?

Biotin is very safe, even at high levels and can easily be excreted by the body if necessary thanks to being a water soluble vitamin as opposed to a fat soluble one.

However, if you do consume excessive amounts of Biotin, you may experience side effects such as digestive upset, insomnia or skin rashes.

The level of biotin in CanXida Remove is high enough to be effective but also at a level unlikely to cause any side effects, that being said, we do not recommend taking additional Biotin on top of what's already contained in CanXida Remove.

Q: Are there any risks or side effects associated with oregano oil?

Oregano oil is very safe at the level contained in CanXida Remove, however, as it's a strong, natural antifungal agent, excessive amounts may lead to side effects such as stomach upset, constipation, diarrhea, vomiting and headaches.

Also, if you are currently taking prescription drugs such as blood thinners, diabetes drugs, or have a diagnosed mineral deficiency of zinc, copper or iron, we recommend you speak with your doctor first before adding oregano oil to your daily supplement routine.

Q: How does CanXida Remove (Formula RMV) prevent die-off reactions?

CanXida Remove prevents die-off reactions in 2 key ways:

1. The dosage of each ingredient in a single tablet of CanXida Remove is enough to be effective, but not so much that it comes with increased risks of die-off reactions or side effects.
2. To further protect against die-off reactions, CanXida Remove uses a time release tablet to give you a slow but steady serving of each ingredient over many hours, rather than all at once, allowing you to still receive the dose you need to start seeing results but providing protection against die-off reactions and side effects which can occur if you take all the ingredients at once.

Q: Can CanXida Remove (Formula RMV) be crushed into a powder and added to a smoothie or other food?

Yes it can, however, as the formula is designed using a time release tablet, you will lose this function if you were to crush it.

So, there are 2 ways you can work with this to still achieve the results you want while lowering any potential side effects that can come from taking away the time release function.

1. When you crush the tablet into a powder, divide that serving up over the next few hours e.g. A third right away, another third 2 hours later and the final third 2 hours after that. This will replicate the timeframe of taking the time release tablet.
2. If you're comfortable with swallowing the tablet for the first week, you can start with the tablet, and then progress to crushing it into powder during week 2 as you begin to tolerate the formula more and possibly even increase your dosage. By taking it as a tablet for the duration of week 1, you'll still be giving yourself a gentle, time-released introduction to the formula which will help in minimizing the chance of side effects.

Q: How does CanXida Remove (Formula RMV) target all parts of the digestive system?

CanXida Remove targets all parts of the digestive system by using a variety of ingredients which specialize in certain areas of digestion more than others.

For the stomach, 3 key ingredients help to lower the Ph of your stomach acid, making it more acidic and therefore a hostile environment to yeasts, bacteria, parasites and viruses. This also help helps to prevent undigested pieces of food making it through to your intestines and causing inflammation, these 3 key ingredients are:

- Caprylic Acid
- Undecylenic Acid and;
- Betaine HCL

From there, as food passes from the stomach and into the small and large intestines, the following ingredients being to play their most important roles:

- Grapefruit Seed Extract (GSE): Its anti yeast and antibacterial effects can help in combating any strains of yeast and bad bacteria present in your small and large intestine, plus prevent the formation and multiplication of new infections. And, while doing this, it leaves your good bacteria untouched, allowing them to thrive and multiply.
- Berberine: Berberine works well alongside Grapefruit Seed Extract (GSE) to also combat yeast and bad bacteria.
- Clove: Thanks to the active ingredient Eugenol, clove is able to rupture and destroy existing yeast cells and prevent the formation of new ones and. It also prevents Candida Albicans from forming hyphae, the branching elements which allow it to penetrate the gut wall and spread elsewhere in the body.

The remaining ingredients in the formula: Aged garlic extract, Black Walnut Hull extract, Pau d'arco, Neem, Biotin & Oregano oil all provide additional anti bacterial,

anti yeast, anti fungal and anti parasitic power to the formula as it passes through the remaining parts of your digestive system including the large intestine/colon.

Q: Who is the ideal customer for CanXida Remove (Formula RMV)?

There's no need to wait until you have a confirmed Candida Albicans infection to start taking CanXida Remove, prevention is always better and easier than a cure and there are many situations which make you an ideal customer for CanXida Remove.

If you've been experiencing digestive discomfort, bloating, fatigue, skin issues, stress, lack of sleep or bad breath, you could benefit from taking CanXida Remove for a few months to help prevent any of these symptoms worsening and to help you recover your health again.

Some people even like to take CanXida Remove with them on holidays as a protection against the additional eating and drinking they'll be doing compared to their usual routine at home and this is a great idea too.

Naturally, all of the above will always work better with a dedication to a healthy diet, adequate sleep, proper hydration and regular exercise and we always encourage you to get on top of these factors as much as possible.

Q: Can CanXida Remove (Formula RMV) be used as a preventative measure after potential exposure to contaminated food?

Yes it can.

It's not a bulletproof solution and time is of the essence, so even the strongest formula in the world won't help you much if certain types of bad bacteria have entered your system unchallenged for a day or two.

However, if you have your CanXida Remove handy and take a serving or two (depending on your usual dose and tolerance) immediately, you may be able to improve your chances of preventing food sickness or poisoning that can occur from contaminated food.

Q: How does CanXida Remove (Formula RMV) contribute to reducing inflammation in the gut?

CanXida Remove can contribute to reducing inflammation in the gut in 2 key ways:

1. By boosting your digestive powers through lowering the Ph in your stomach, CanXida Remove can help you properly break down the foods you eat, reducing the chances of any undigested or partially digested food particles passing through to your intestines and causing inflammation.
2. By fighting yeast, bacteria, parasites and viruses that can penetrate the walls of your intestinal lining, you'll allow them to close up, heal and become less inflamed as they do so. This is especially noticeable in people who suffer from leaky gut.

Q: Can CanXida Remove (Formula RMV) be used for conditions like small intestinal bacterial overgrowth (SIBO), inflammatory bowel disease (IBD), irritable bowel syndrome (IBS), constipation, diarrhea, eczema, leaky gut, severe gas and bloating, sugar cravings, and parasite infections?

Yes, for all of the above, however, please check with your doctor first if you are currently taking any kind of prescription drugs for your condition as there may be potential interactions.

And, for all of the above, please start slowly and carefully increase your dosage over time, the good news is that CanXida Remove comes in a time release tablet which will deliver your dose to you gradually over a number of hours rather than all at once which will provide you with the ingredients you need while minimizing the chances of side effects.

And remember, for all conditions, but especially serious ones such as the conditions listed above, we highly recommend implementing improved dietary changes, good sleep, adequate hydration and regular exercise to help you maximize your chances of a successful result.

Q: What are the benefits of the other CanXida formulas: Restore and Rebuild?

All 3 products were designed with each other in mind, they're a team! So they work best when taken together.

CanXida Remove aims to help you fight back against infection and prevent new ones.

CanXida Restore is there to help you repopulate your gut with more of the "good guys" as the bad bacteria are being eliminated, it also provides you with digestive enzymes to help you with properly breaking down your food and preventing undigested or partially digested food particles getting through to your intestines and causing inflammation or feeding bad bacteria.

CanXida Rebuild is there to provide you with a broad spectrum of high quality nutrients, something you may have been deprived of when living with a bacteria, yeast, parasite or viral infection.

It also provides a blend of soothing herbs and plant extracts to help with further rebuilding your digestive tract, preventing inflammation and reducing your chances of reinfection.

Q: Should customers take Restore and Rebuild along with CanXida Remove (Formula RMV)?

Yes, all 3 products work in synergy to maximize your chances of preventing or defeating an infection plus putting you on track for a successful recovery.

CanXida Remove aims to destroy yeasts, bad bacteria, parasites and viruses while also reducing the chances of them being able to make a comeback in the future.

But while it leaves the good bacteria alone as it destroys the bad guys, it doesn't necessarily feed them or help them multiply and this is where CanXida Restore comes in by providing probiotic bacteria to repopulate your microbiome and digestive enzymes to help you properly break down your food to reduce the chances of any undigested or partially digested particles of food making it through to your intestines and causing inflammation or feeding bad bacteria.

CanXida Rebuild is there to provide you with a broad spectrum of high quality nutrients, something you may have been deprived of when living with a bacteria, yeast, parasite or viral infection.

It also provides a blend of soothing herbs and plant extracts to help with further rebuilding your digestive tract, preventing inflammation and reducing your chances of reinfection.

Q: How does CanXida Rebuild help boost the immune system?

By providing a broad spectrum of vitamins and minerals, especially antioxidant vitamins such as Vitamin C, Vitamin A, Vitamin E and minerals such as Zinc, CanXida Rebuild will help you with boosting your immune system as you recover.

Also, by providing a broad spectrum of vitamins and minerals including B-Vitamins and trace minerals, CanXida Rebuild can help with shoring up any existing nutrient deficiencies and protect against future ones occurring, which in turn, can strengthen your immune system further.

It also provides a blend of herbs and plant extracts which can help soothe the gut, reduce inflammation and create a favourable microbiome, an important component of a strong and effective immune system.

Q: Can CanXida Remove (Formula RMV) be taken alongside other medications?

Yes it can, however, we highly recommend you ask your doctor first before taking CanXida Remove alongside other medications as there are chances of negative interactions occurring.

For example, blood thinners such as warfarin can interact negatively with garlic extract, a key ingredient in CanXida Remove.

Certain medications can also interact negatively with Grapefruit Seed Extract (GSE), key ones being blood thinners, immunosuppressants and statins.

In general, by using all natural ingredients in a time-released dose, CanXida Remove has a low chance of interaction with any medications, but it's always best to be safe and talk to your doctor first just in case.

Q: Is CanXida Remove (Formula RMV) suitable for children? If so, what is the recommended dosage?

Yes, it is safe for children.

However, it depends on the child and it depends on the dosage.

A younger child will need a lower dosage as they have a much lower body mass than an adult.

Please don't give an entire tablet to a child 5 years old or younger.

We recommend you purchase a tablet cutter from your local drug store or online, and use it to divide a CanXida Remove tablet into 4 pieces and start with just one small piece per day.

We don't recommend giving CanXida Remove to a child aged 4 or younger due to it being a potential choking hazard, even a small piece of a tablet may still be too risky.

Alternatively, you can also ground a tablet down into powder, again making sure to only give a serving of one quarter of a tablet or less at a time, and you don't have to give it to them straight, you can blend it up into a smoothie to make it more delicious and easier for them to drink.

It has quite a strong taste, so blending it up with some berries can help with masking the taste and we recommend rice milk instead of regular dairy milk when making a smoothie like this.

From there, you can slowly increase the dosage up to 3 to 4 servings per day. And for children ages 10 and up, they can take as much as 2 full sized tablets per day, as long as they work up to it slowly.

Q. Can CanXida Remove (Formula RMV) help with non-digestive related symptoms, like skin conditions or mood swings, that could be tied to gut health?

Yes it can.

This is because gut health has such a strong influence on other areas of the body including energy, mood, immune health, skin health, inflammation and many more.

By eliminating bad bacteria, yeasts, parasites and viruses from your gut and allowing good bacteria to take over as the dominant force, you'll be restoring a favorable environment to maximize your chances of having these conditions clear up.

There are many factors influencing skin conditions and mood, including sleep, stress, genetics, diet, hydration and so much more, but improving your gut

environment is always a massive advantage when it comes to battling these conditions.

Q. What are some of the most significant changes or improvements customers have reported after using CanXida Remove (Formula RMV)?

Some of the most recurring testimonials and stories we receive are from customers who have experienced the following:

- Improved Digestive Health
- Less Fatigue & Lethargy
- Less Itchiness
- Less or no more discharge (caused by a yeast infection)

Results vary from person to person, but these are consistently the main areas of improvement we receive feedback on.

Other very exciting, but less commonly reported effects also include:

- An improved immune system
- Less sugar cravings
- More brain power and focus during the day

Q. Does CanXida Remove (Formula RMV) need to be cycled (taken for a certain period, then stopped, then started again) or can it be taken continuously?

For most people, the ideal amount of time to take CanXida Remove is the amount of time it takes for your symptoms to subside, and for most people, this is about 4 to 6 weeks.

However, we don't recommend you take the same dosage the entire time, instead, we recommend you slowly build up from 1 tablet per day in the first week, to 2 tablets per day and then take 3+ per day for a full 4 weeks from there.

And, when you're feeling good and your symptoms are subsiding, rather than stopping instantly, we highly recommend you "taper off" or ease your way off CanXida Remove.

This means reducing your dosage back down to 2 per day for a week, and then 1 per day for 1 more week.

We've found this transition from a low dose to a high dose and back down again is not only very effective, but it also helps reduce the chance of side effects, both from introducing the formula to your body for the first time and also, from stopping the formula.

Q. What dietary changes or habits are recommended to enhance the effects of CanXida Remove (Formula RMV)?

Some core areas which have a big impact on your gut health and which can influence the effectiveness of CanXida Remove are:

If you were to improve your performance in just one of these areas while taking CanXida Remove, you will be able to benefit from its ingredients more than most customers.

- Sleep
- Stress
- Exercise
- Nutrition and;
- Hydration

However, if you focus on improving all 5 of these areas, not only are you setting yourself up for great success in the near term while you take CanXida Remove, but you're also laying the groundwork for success into the future as you create such a healthy internal environment that it becomes extremely difficult for bad bacteria, yeast, parasites or viruses to take hold ever again.

Q. How quickly can one expect to see improvements in their gut health after starting CanXida Remove (Formula RMV)?

For most people, 2 to 3 weeks is a reasonable timeline to focus on when looking for improvements in your gut health after starting CanXida Remove.

This is because in the beginning, you will be taking a lower dose of just 1 tablet per day, which may not feel like much at first or, in some cases, may actually make you feel slightly worse before you start to feel better as changes start to happen in your gut health.

But it's always worth persisting, once your move up to 2 tablets and eventually 3+ per day, you'll be giving yourself a great chance of achieving noticeable and long term improvements in your gut health.

Q. What should one do if they experience any side effects or adverse reactions after taking CanXida Remove (Formula RMV)?

If you experience side effects or adverse reactions, we recommend you stop taking CanXida Remove for a day or two, or until your symptoms subside.

From here, we recommend you begin again, but at just $\frac{1}{2}$ a tablet per day for the first few days, if you feel fine, we encourage you to increase it to a full 1 tablet per day for the rest of the week and then up to 2 per day (one at breakfast and one at lunch) in week two.

If you experience side effects a second time around, we recommend you examine your routine closer for factors such as gut disorders, digestive issues or prescription drugs and, at this stage we recommend you speak with your doctor before resuming just to make sure there are no additional issues at play you may not have discovered yet.

Q. How are the proportions of the different ingredients in CanXida Remove (Formula RMV) determined? Is there a specific ratio that maximizes efficacy?

The exact breakdown of ingredients and their amounts and ratios is carefully guarded intellectual property of CanXida and we will not be revealing them here.

They are based on decades of research and have been carefully measured and selected to maximize the effectiveness of the formula while minimizing the chance of side effects.

We examined countless studies on each ingredient to understand the optimal dosage of each, and from there, studied how well the ingredients would combine and work together, all the while always being conscious of ways to ensure we wouldn't cause adverse effects, for example, this is why a time released tablet was chosen as the optimal delivery method.

Q. What is the significance of standardized extracts in CanXida Remove (Formula RMV)? How does standardization impact the potency and efficacy of the product?

Using standardized extracts instead of regular ones has a VERY big impact on the effectiveness of the CanXida Remove formula.

When it comes to dietary supplements, especially those containing plant extracts, you're given limited space within which to include enough ingredients to create a positive impact.

So, with this in mind, using standardized extracts allows us to put more of an "active ingredient" into the formula when compared to using a standard extract.

For example, a standard clove of garlic has a concentration of the active ingredient allicin (the compound which is responsible for most of the positive benefits of garlic) of around 0.1% to 0.4%, but in CanXida Remove, we give you a standardized garlic extract with a whopping 2% allicin content, that's 5x to 20x the amount of allicin in a regular garlic extract!

This is why standardized extracts have a significant impact on the potency and efficacy of the formula.

Q. What is the rationale behind not including any prebiotics in the CanXida Restore formula?

We've found through research, experimentation and consulting with thousands of customers that supplemental prebiotic fiber often causes, bloating, gas and discomfort and found it to be far more effective and sustainable to get prebiotic fiber from your diet instead.

Some great sources of prebiotic fiber include:

- Garlic
- Onions, including all variations such as spring onions
- Cruciferous vegetables including broccoli and cauliflower (we recommend you avoid kale in general as it's very difficult to digest, if you insist on having it we only ask that you cook it very thoroughly first)
- Asparagus

Some fruits also contain an excellent amount of prebiotic fiber such as bananas and apples, however, as you'll be focusing on keeping your sugar intake low while you work on eliminating an infection, please save this option for the future.

Q. How does CanXida Restore ensure that the probiotics it contains survive stomach acid to reach the small intestine?

Thanks to a specially designed time release capsule, the probiotics will not be released until they make it all the way to your small intestine, and not your stomach.

This helps protect them against the extreme acidity of your stomach acid and give them a better chance of not only surviving the journey, but also thriving and multiplying once they arrive.

Q. Can you provide more technical details about how CanXida Rebuild supports the immune system and helps prevent nutrient deficiencies?

CanXida Rebuild supports your immune system and helps you prevent nutrient deficiencies by providing you a broad spectrum of vitamins and minerals in highly absorbable forms, these are the kinds of nutrients you may be lacking in after suffering from a yeast, bacteria, parasite or viral infection.

And, in addition to that, we also include a proprietary blend of carefully selected ingredients designed to soothe your digestive tract and help you properly absorb the nutrients coming in, not only from CanXida Rebuild, but also from the foods you eat.

By ensuring you're not only getting enough quality vitamins, minerals and other nutrients, but also actually absorbing them, you'll also be strengthening your immune system by giving it the resources it needs to operate effectively around the clock.

Q. How does the time-released capsule in CanXida Restore work?

The time released capsule in CanXida Restore has what's called an "enteric coating", this special construction allows the capsule to stay in tact at low Ph levels (such as the very low levels of 1.5 - 3.5 typically found in stomach acid) and

open at a higher, more neutral or alkaline Ph such as that found in your small intestine (6 - 7.4+).

The time it can take for these capsules to reach their destination can vary greatly from as little as 30 minutes to as much as 7+ hours, depending on the presence, or lack thereof of food.

And by keeping the ingredients in tact all the way until they reach your small intestine, CanXida Restore creates an ideal situation for the probiotic strains in the product to multiply and flourish, re-establishing a favorable gut microbiome for you once more.

Q. How do you ensure ingredients in CanXida Remove (Formula RMV) don't neutralize each other's effects?

All of the ingredients in CanXida Remove have been carefully selected to complement each other and magnify each other's effects, not to clash or neutralize each other.

For example: Caprylic acid, Undecylenic acid and Betaine HCL all help to boost the strength of your stomach acid by lowering its Ph, and all 3 of them work together for an even more powerful effect than any of them alone.

If the product was to contain an ingredient that has the opposite effect such as calcium carbonate or sodium bicarbonate, this would be counterproductive, but luckily, it does not contain either of these substances or any others like them.

CanXida Remove also contains a high amount of Biotin, which does a fantastic job of preventing candida from multiplying, however, as Biotin is a B-Vitamin, its absorption can be interrupted by certain compounds such as tannins (found in tea and wine) and caffeine (found in coffee, tea, chocolate and many other foods and plants).

CanXida Remove is a stimulant free product and therefore does not contain any caffeine, nor does it contain theanine, so there is nothing in there which could limit the effectiveness of the biotin.

And the same story goes as you examine every other ingredient in the formula, they work side by side, with none of them limiting each other, it really is a dream team of bad bacteria fighting, anti-yeast, anti-parasitic and anti-viral activity.

Q. Why are certain ingredients standardized to a particular percentage of active compounds? How does this affect their potency?

When it comes to the standardized ingredients in the CanXida Remove formula, not only are they far more potent when compared to regular non-standardized versions of these ingredients, but also, the high percentage of standardization we use brings an additional positive impact to the formula.

For example, most Grapefruit Seed Extracts (GSE) contain around 10% naringin (a key active ingredient when it comes to fighting bacteria and yeasts, but we use a 45% standardized version, that's 4.5x more powerful than a regular Grapefruit Seed Extract.

Our Garlic is standardized to a 2% allicin content, that's as much as 20x the amount of allicin found in a regular clove of garlic.

These high percentages of standardization allow us to provide you with a much more effective AND more compact formula.

Q. How does CanXida Remove (Formula RMV) help to re-acidify the stomach environment? Can you explain more about this process?

CanXida Remove helps to reacidify the stomach by providing 3 ingredients which "donate" their low Ph level to your stomach acid, helping to lower it, bringing it into the optimal range and making it far more effective at properly breaking down the foods you eat.

These 3 ingredients are:

- Caprylic acid
- Undecylenic acid and;
- Betaine HCL

And, once your stomach environment is more acidic like it's meant to be, you'll digest the foods you eat more effectively, helping you extract more vitamins, minerals and other nutrients from them and preventing partially digested or undigested particles of food from passing through to your intestines where they could cause inflammation or become a food source for bad bacteria looking to multiply and cause trouble.

Q. How does CanXida Remove (Formula RMV) promote the balance of gut flora? What mechanisms are involved? Can you provide more information about the pH-balancing effect of CanXida Remove (Formula RMV) in the gut?

CanXida Remove promotes a balanced gut flora by aggressively working against strains of bad bacteria while leaving your good bacteria untouched.

This helps to begin moving the balance back in your favor, as the good bacteria will be free to continue multiplying while the bad bacteria will be decreasing in numbers as the potent anti-bacterial ingredients in CanXida Remove inhibit their ability to multiply.

When it comes to Ph levels in the gut, the presence of candida and the compounds it produces (such as ammonia) can raise the Ph of your gut, creating a weaker, more alkaline environment that allows for candida and other yeasts to flourish and take hold.

The Betaine HCL in CanXida Remove can help lower the Ph of your gut, and, along with the 2 other acids in the formula: Undecylenic Acid and Caprylic Acid, help keep it there, creating an environment unfavorable for yeasts, bad bacteria, parasites and viruses and preventing them from multiplying.

Q. How does CanXida Remove (Formula RMV) ensure the effectiveness of its formula even if the gut environment varies widely among individuals?

The CanXida Remove formula ensures its effectiveness throughout the greatly varying gut environments of individuals by working to positively alter your gut environment to one that allows for good bacteria to flourish and that makes it extremely difficult for yeasts, bad bacteria, parasites and viruses to remain.

It achieves this through the following steps:

First, it helps you create an optimal Ph level in your stomach and your intestines, allowing you to properly break down your foods and absorb the vitamins, minerals and other nutrients inside them as well as prevent poorly digested or undigested particles of food passing through to your intestines where they could become a food source for bad bacteria, or yeasts.

And once an environment has been created that's unfavourable for these invaders but favourable for the good bacteria in your gut, the rest of the ingredients focus on using their anti-bacterial, anti yeast, anti-parasitic and anti-viral effects to eliminate any "bad guys" still trying to hold on.

Q. Can you provide more details about how CanXida Remove (Formula RMV) aids in breaking down biofilms created by harmful organisms?

Yes we can, when it comes to breaking down biofilms and preventing their reformation, 3 key ingredients in the CanXida Remove formula stand out above the rest:

- Grapefruit Seed Extract (GSE)
- Garlic, aged extract (2% allicin standardized) and;
- Oregano Oil

Some studies demonstrating the effectiveness of Grapefruit Seed Extract (GSE) against biofilms can be found here: <https://pubmed.ncbi.nlm.nih.gov/31136636/>

And here: <https://pubmed.ncbi.nlm.nih.gov/31370119/>

A study demonstrating the effectiveness of Garlic against biofilms can be found here: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4600595/>

And finally, a study demonstrating the effectiveness of Oregano Oil against biofilms can be found here: <https://pubmed.ncbi.nlm.nih.gov/33915040/>

In addition to this, we have seen hundreds of comprehensive stool test reports from customers that validate that Candida had a positive biofilm culture, and after treatment - the test result was negative.

Q. How were the specific strains of probiotics chosen for CanXida Restore?

The specific strains of probiotics found in CanXida Restore were meticulously studied for decades by the New Zealand based Naturopath Mr Eric Bakker and demonstrated to be very effective at helping his patients recover from Candida Albicans infections and were therefore chosen by him to be in the CanXida Restore formula.

And, it turns out what has been working well for his patients at his private clinic is now also working well for thousands of people all over the world via the CanXida Restore formula.

Q. Can you provide more technical details about the enzymes present in CanXida Restore and how they aid digestion?

The enzymes present in CanXida Restore were chosen to work well as a team in the CanXida Restore formula as they specialize in different areas and although they're quite effective individually, they're even more effective when working as a team, we will provide a profile on each of the enzymes below for you:

Amylase: Amylase is an enzyme that primarily specializes in breaking down starches to turn them into sugars, so when you see Amylase, think about it as being an enzyme that helps you break down all complex carbohydrates you consume.

Cellulase: An enzyme that specializes in breaking down cellulose, a structural component found in many plants, so when you think of Cellulase, think of it as an enzyme that helps you digest your vegetables properly.

Glucoamylase: You may notice that the name sounds similar to Amylase, and, not surprisingly, it also functions in a similar way to Amylase, helping you break down starches into sugars so you can properly process the carbohydrates you consume.

Hemicellulase: Just like Glucoamylase being similar to Amylase, Hemicellulase is also similar to Cellulase in that it helps with breaking down cellulose, helping you with digesting vegetables as well as some carbohydrate sources.

Invertase: Invertase is an enzyme specialising in the breakdown of sugar, and is especially good at converting sucrose (table sugar or the sugar found in many foods) into glucose (simple sugar used as fuel for many functions throughout our bodies).

Protease: The name of this enzyme provides a subtle clue as to the kind of foods it helps you break down. This is because Protease helps you with breaking down proteins, specifically, it helps you break down proteins into smaller components known as amino acids, where they can be re-arranged by your body to create new proteins to perform various functions throughout the body.

Serratiopeptidase: Serratiopeptidase is an interesting enzyme in that it's less of a specialist than the other enzymes found in the CanXida Restore formula but it brings another unique feature to the table: An anti-inflammatory effect.

Q. How does the timing of taking CanXida Remove (Formula RMV), Restore, and Rebuild affect their effectiveness? Is there a specific schedule customers should follow?

All 3 products were designed to be used as a team and can safely be taken all at once, however, we recommend you start with CanXida Remove first to begin fighting back against any bad bacteria, yeasts, parasites or viruses trying to take hold.

After taking 1 tablet of CanXida Remove per day with lunch for 1 week and if all is feeling well, we encourage you to introduce another tablet so you're taking 1 at breakfast and 1 at lunch, and, at this stage you can also begin introducing CanXida Restore, taking 1 capsule at lunch with your second CanXida Remove tablet.

In terms of timing throughout the day, the best time to take your dosage of CanXida Remove, Restore and Rebuild is with meals, this also makes it easier to remember, ideally you'll want to split your servings up primarily between your first two meals e.g. breakfast and lunch to give them plenty of time to breakdown and digest as these are time released formulas.

Q. What is the bioavailability of the ingredients in CanXida Remove (Formula RMV)? How do you ensure the ingredients are effectively absorbed?

The bioavailability of the ingredients in CanXida Remove is high, because not only are we giving you high quality extracts, but in some cases, we're also giving you standardized extracts, giving you an even better chance of properly absorbing the ingredients.

Everyone's digestive system is different and there's no way to fully ensure or guarantee you'll absorb everything, but in addition to standardized extracts, we also provide you with 3 ingredients that specialize in boosting your digestion, therefore improving your chances of absorbing everything in the formula, these 3 ingredients are:

- Caprylic acid
- Undecylenic acid and;
- Betaine HCL

Q. How does CanXida Remove (Formula RMV) manage to work systemically, impacting not just the digestive system but also other systems in the body?

CanXida Remove works systemically both directly and indirectly to benefit your entire body, and this is how:

Directly: By removing yeast, bad bacteria, parasites and viruses from your digestive system, and, preventing them piercing your intestinal walls and escaping into the blood stream, CanXida Remove can help prevent infections spreading to other areas of the body, therefore providing protection for your entire body, not just your digestive system.

Indirectly: By removing yeast, bad bacteria, parasites and viruses from your gut, and allowing good bacteria to flourish and become the dominant force, you will be able to build a more favourable environment for your immune system to function effectively (remember the majority of your immune cells are present in the gut) and provide protection for your entire body, not just your gut.

Q. Can you explain more about how CanXida Remove (Formula RMV) helps with detoxification processes in the body?

Your body is constantly detoxing and the digestive system plays a big part of this.

Ideally, a healthy body will be able to remove toxins in a variety of ways including via sweat, urine and the regular excretion of faeces.

However, in a compromised digestive system where the intestinal walls may not be in top shape, it's possible for some of the toxins that would normally be excreted through faeces to re-enter your blood stream and cause problems.

This is where CanXida Remove can help with putting your natural detoxing processes back on track.

By fighting back against yeasts, bad bacteria, parasites and viruses that aim to attack your intestinal walls, CanXida Restore may help you re-establish a strong

detoxification process once more by encouraging these toxins to leave the body through the regular expulsion of faeces.

Q. How does CanXida Remove (Formula RMV) work to maintain the balance of gut microbiota over time? Does it promote the growth of beneficial bacteria?

CanXida Remove works to maintain a balanced gut microbiota over time by focusing on 2 core areas:

1. Removing bad bacteria, yeasts, parasites and viruses and preventing them from replicating and becoming the dominant force in your gut microbiome.
2. Allowing your beneficial bacteria aka. The “good guys” to multiply and flourish and become the dominant force in your gut microbiome.

This is because unlike pharmaceutical drugs, the natural but highly effective ingredients in CanXida Remove are able to focus on eliminating bad bacteria, yeasts, parasites and viruses while leaving good bacteria unharmed, something that antibiotics and “azole” drugs simply cannot do.

Q. How does the body metabolize and excrete the ingredients in CanXida Remove (Formula RMV)? Are there any potential impacts on liver or kidney function?

CanXida Remove is carefully designed to give you an effective dosage while reducing the chances of side effects by giving you a timed release dosage of all of the ingredients.

This gives your body a chance to process and metabolize these ingredients safely and without the stress that could occur when taking any individual ingredients in high amounts.

With some plant extracts such as clove, black walnut hull and pau d’arco it is possible to cause stress on your liver and kidneys if you were to take them individually in high doses, separately from the dose in CanXida Remove and this is something we don’t recommend.

Instead, we recommend you take CanXida Remove as instructed, taking just 1 time release tablet per day with lunch for the first week, 2 per day in your second week (1 with breakfast and 1 with lunch) and then carefully moving up from there.

Q. Can you explain more about the process of developing the CanXida Restore formula? How were the specific probiotics and enzymes chosen?

CanXida Restore was developed by the New Zealand based naturopath Mr Eric Bakker using the experience he had gained from over 25 years of clinical naturopathic gastroenterology experience.

He carefully chose each of the 6 probiotic strains and 7 enzymes based on what had worked successfully for thousands of patients over those 25 years, and, he deliberately chose the time released “capsugel” capsule to ensure these ingredients could be delivered in tact where they’re needed the most: Your small intestine.

He also deliberately left out prebiotic fibers when developing the formula, this is because, in supplemental form, these fibers can actually feed yeasts and bad bacteria! As well as the good bacteria they’re meant to feed.

Instead, he recommends you get your prebiotic fiber from the foods you eat instead so it can help your good bacteria multiply without feeding the bad ones.

Q. What measures are taken to ensure that CanXida Remove (Formula RMV) does not cause irritation or damage to the gut lining?

A key measure taken to ensure no irritation or damage occurs to your gut lining when taking CanXida Remove is the use of a time released tablet instead of a regular one.

This allows you to slowly and steadily absorb all the ingredients in CanXida Remove over the course of several hours instead of all at once, so any chance of irritation that may occur from a particular ingredient is dramatically reduced.

In fact, the aim of CanXida Remove is to do the exact opposite: Heal your gut lining, and this can be helped by the digestion boosting ingredients in the formula such as Caprylic Acid, Undecylenic Acid and Betaine HCL.

Thanks to these 3 key ingredients, you’ll be improving your chances of properly digesting the foods you eat and preventing undigested or partially digested food particles making it into your small intestine where they can cause damage to your gut lining.

Q. How does CanXida Remove (Formula RMV) help prevent the recurrence of Candida overgrowth or bacterial imbalance?

Not only does CanXida Remove work to remove candida overgrowth and bacterial imbalance but it helps prevent their recurrence thanks to the actions of some key ingredients.

Clove: Clove not only ruptures and destroys yeast cells thanks to its active ingredient “eugenol” but it also prevents candida albicans from producing “hyphae”, the branching filaments used to penetrate the gut wall and spread to other parts of the body.

Biotin: Biotin has the ability to halt the growth of candida and critically, prevent it from maturing into its hyphal & mycelial form (which are VERY HARD to get rid of) which would allow it to invade your bloodstream and spread elsewhere in the body.

Oregano Oil: One of the most potent anti-fungals available, Oregano Oil is able to inhibit the growth of yeasts completely, preventing them from causing a recurring infection.

Q. What is the mechanism behind CanXida Remove (Formula RMV)'s ability to inhibit the formation of hyphae in Candida species?

The mechanism behind CanXida Remove’s ability to inhibit the formation of hyphae in candida species is the inclusion of potent ingredients that have specifically been demonstrated to inhibit the formation of hyphae.

The 2 main ingredients responsible for this are:

- Clove and;
- Biotin

Clove: Thanks to the active ingredient “eugenol” found in clove, it is able to prevent candida from producing hyphae, therefore preventing it from penetrating your gut wall and spreading to other parts of the body.

Biotin: Biotin has the ability to halt the growth of candida and prevent it from maturing, therefore preventing it from getting to the mature stage where it would begin to develop hyphae.

Q. Are there any strains that CanXida Remove (Formula RMV) might not be effective against?

Over many years of treating customers and examining stool tests from all over the world including the USA, Europe, Australia and New Zealand, we've found that in almost all cases, candida of all strains were completely eliminated.

In some severe cases, there was still a small amount remaining, which was eliminated with further treatment over a longer duration.

So at this stage, we are not aware of any strains of candida that CanXida Remove may not be effective against.

Q. How does CanXida Remove (Formula RMV) help with food sensitivities?

CanXida Remove can help you with food sensitivities by eliminating bad bacteria, yeasts, parasites and viruses while leaving your good bacteria alone to flourish and multiply so they can do their job, helping you properly breakdown and process the foods you eat.

Food sensitivities often occur in people who have an imbalanced gut, for example, people who have just taken a course of antibiotics and have therefore had their gut environment completely disrupted and weakened, leaving not only bad bacteria dead, but also good bacteria.

In this weakened state, you don't have enough good bacteria to do the work required to break down certain foods, extract the nutrients from them and pass them on through the rest of your digestive system for elimination and will be more sensitive to certain foods.

Q. How does CanXida Remove (Formula RMV)'s mechanism of action differ in the small intestine versus the large intestine?

CanXida Remove's time release function plus its wide variety of ingredients helps it remain effective through all parts of your digestive system from your mouth all the way through to your colon.

In the small intestine, the ingredients in CanXida Remove that stimulate digestion such as Caprylic Acid, Undecylenic Acid and Betaine HCL will go into effect to

help you further break down and absorb the nutrients from the foods that have been broken down in your stomach.

In your large intestine, where the vast majority of bacteria reside in your body, the ingredients Grapefruit Seed Extract (GSE), Garlic and Clove will provide the most benefit for you as they work to eliminate bad bacteria, yeasts, parasites and viruses while leaving your good bacteria intact.

Q. What are the mechanisms behind how CanXida Remove (Formula RMV) aids in the digestion of food and absorption of nutrients?

A key mechanism behind how CanXida Remove aids in the digestion of food and absorption in nutrients comes from 3 key ingredients:

- Caprylic Acid
- Undecylenic Acid and;
- Betaine HCL

These 3 ingredients help strengthen your stomach acid, helping you break down your food properly and prevent undigested or partially digested food particles making it through to your small intestine.

And, speaking of your small intestine, these 3 ingredients also help create an ideal environment for your digestive enzymes to do their work which aids in the proper absorption of nutrients from the foods you eat.

Q. How do the ingredients in CanXida Remove (Formula RMV) work at a cellular level to combat harmful organisms and promote gut health?

When it comes to combating harmful organisms at a cellular level, certain ingredients in CanXida Remove can be very effective.

Clove, for example, contains a substance called eugenol which has been shown to completely rupture and destroy yeast cells.

Grapefruit Seed Extract (GSE) has also been shown to destroy the cell membranes of 100 different yeast cell species along with over 800 different pathogenic bacteria while completely ignoring beneficial flora.

So at a cellular level, CanXida Remove is able to destroy harmful organisms while leaving beneficial organisms alone to flourish and promote good gut health.

Q. Can you provide more technical information on how the enzymes in CanXida Restore aid in the digestion of proteins, fats, and carbohydrates?

The 7 different enzymes included in the CanXida Restore all specialise in different areas and aid in the digestion of proteins, fats and carbohydrates.

Proteins:

Protease: Proteases break down proteins into smaller chains called polypeptides and eventually amino acids that form the building blocks for most tissue throughout the body, including antibody and even neurotransmitter production

Serratiopeptidase: Breaks down proteins as well as provides anti-inflammatory properties. It has been added to help reduce inflammation in the digestive system that is an issue in many people who have chronic Candida or SIBO.

Fats: There are no fat specific enzymes in the CanXida Restore formula but by improving your digestion of proteins and carbohydrates and restoring a favourable balance of good bacteria in your gut, your ability to digest and breakdown fats will naturally improve over time.

Carbohydrates:

Amylase: Amylase helps to break down carbohydrate-based foods, especially starch, into tiny sugars, this will help reduce symptoms like bloating, gas and abdominal pain.

Cellulase: Cellulase helps to break down fiber, plant polysaccharides and other similar carbohydrates. This enzyme was important to include because those with Candida and SIBO tend to eat a diet rich in plant-based foods.

Glucoamylase: Glucoamylase is important to add to the blend because it helps to break down starch that occurs naturally in most vegetables that we eat, even in brown rice, quinoa, buckwheat and other grains commonly consumed by those on Candida and SIBO diets

Hemicellulase: Like the other enzymes mentioned, hemicellulose helps to break down carbohydrates, including fiber and other plant polysaccharides. Hemicelluloses help to alleviate constipation by increasing the bulk of stools and

reducing the transit time of food in the bowel.

Invertase: Invertase is a very important addition to CanXida Restore because it helps us to digest sugars properly by breaking them down into glucose and fructose, aiding absorption.

Q. Can you provide more technical details about the effectiveness of CanXida Remove (Formula RMV) against parasitic infections?

Parasites can't stand a digestive system with a balanced Ph, high levels of beneficial bacteria, strong intestinal walls and low levels of inflammation, and CanXida Remove can help you achieve all of these.

The ingredients Caprylic Acid, Undecylenic Acid and Betaine HCL found in CanXida Remove work to create an optimal Ph in your digestive system, which is one that is slightly acidic, rather than neutral or alkaline.

This is the ideal environment for good bacteria to flourish and is a terrible one for parasites who cannot survive for long in such conditions.

For an even greater anti-parasitic effect, we recommend you combine CanXida Remove with CanXida Restore, which will add probiotics and digestive enzymes to your routine, further enhancing your ability to create an environment hostile to parasites.

Q. How does CanXida Remove (Formula RMV) contribute to the regulation of gut motility? Does it have any impact on conditions like constipation or diarrhea?

CanXida Remove can positively contribute to gut motility by helping you properly break down and digest your foods and keep them moving along in an orderly fashion, a big part of this comes from strengthening your stomach acid via 3 key ingredients: Caprylic Acid, Undecylenic Acid and Betaine HCL.

These ingredients also help create an ideal environment in your small intestine, allowing digestive enzymes to do their part to absorb nutrients from the foods you eat and allow things to pass along smoothly from your small intestine to your large intestine properly broken down and ready to form solid stools.

When it comes to diarrhea, a big cause, especially shorter term, is the presence of bad bacteria, yeasts, parasites and viruses, so this is where ingredients such as

Garlic, Grapefruit Seed Extract (GSE) and Clove can make a big impact by helping you remove these pathogens while leaving your good bacteria unharmed, allowing them to flourish and create an ideal environment, one that encourages the formation of healthy stools and not diarrhea.

Q. Can you provide more technical details about how CanXida Remove (Formula RMV) impacts the gut-brain axis?

CanXida Remove directly impacts the gut brain axis by helping to remove bad bacteria, yeasts, parasites and viruses. These pathogens can cause inflammation, pain, bloating, and other forms of disruption which can have a negative impact on your gut brain axis and leave you irritated, moody and fatigued.

By eliminating these pathogens and leaving your good bacteria unharmed and allowed to flourish, CanXida Remove helps you restore an optimal environment for the gut brain axis, allowing you to experience a more stable mood, better energy levels and experience a more cool, calm and collected state of mind.

Q. What are the specific mechanisms by which CanXida Remove (Formula RMV) helps to reduce sugar cravings?

Sugar cravings are often a result of the presence of yeasts, bad bacteria, parasites and viruses who tend to thrive and multiply when fed sugars and begin to demand more, leading to sugar cravings.

The ingredients in CanXida Remove directly attack these pathogens while allowing good bacteria to flourish and multiply (good bacteria tend to feed on fiber rather than sugar) which helps your sugar cravings go down.

Using discipline to make good dietary choices plays a very big role in all of this as well, so combining healthy food choices with CanXida Remove is a great way to reduce your sugar cravings even further and keep them down over time.

Q. How does CanXida Remove (Formula RMV) contribute to maintaining a healthy weight? Does it interact with metabolic processes?

CanXida Remove contributed to maintaining a healthy weight in 2 ways:

1. By helping you remove bad bacteria, yeasts, parasites and viruses, the presence of these pathogens tends to increase cravings for sugary and starchy foods, key fuel sources for them and regularly consuming these kinds of foods makes it very difficult to maintain a healthy weight.
2. By helping to restore a healthy gut environment where digestive enzymes can do their job properly and where good bacteria can flourish and become the dominant force, you'll be better at breaking down the foods you eat and absorbing their nutrients to prevent deficiencies (which can lead to more cravings) and allowing for regular metabolic processes to work efficiently.

Q. How does CanXida Remove (Formula RMV) aid in the production of short-chain fatty acids in the gut?

CanXida Remove aids in the production of short chain fatty acids in the gut by helping you remove bad bacteria, yeasts, parasites and viruses while leaving good bacteria untouched, allowing them to multiply and thrive.

This is because, when good bacteria are allowed to thrive, they produce short chain fatty acids as a by-product when they consume fiber and other complex carbohydrates present in your gut.

Q. How does CanXida Remove (Formula RMV) impact the production and balance of gut neurotransmitters like serotonin?

Neurotransmitters made in the gut, including serotonin, come from certain types of good bacteria and they will do their best work in an optimal gut environment with more good bacteria than bad.

CanXida Remove can positively impact the production of neurotransmitters in the gut by helping you remove bad bacteria, yeasts, parasites and viruses who are trying to dominate your gut microbiome and take away resources from your good bacteria.

CanXida Remove also leaves your good bacteria unharmed while it does this, allowing them to flourish and multiply.

Q. How does CanXida Remove (Formula RMV) contribute to the balance of electrolytes in the gut?

Bad bacteria, yeasts, parasites and viruses can interfere with the proper functioning of your digestive system, and the absorption of electrolytes in your

intestines is an extremely important process which can be negatively impacted by the presence of these pathogens.

CanXida Remove can contribute to a healthy balance of electrolytes in your gut by helping you remove these pathogens, clearing the way for the proper functioning of your intestines and the proper absorption of electrolytes once more.

Q. Can you provide more technical details about how CanXida Remove (Formula RMV) supports liver function and aids in detoxification processes?

Some ingredients in CanXida Remove can help with supporting liver function which, in turn, can help with your body's natural detoxification process.

Garlic is a key ingredient when it comes to supporting healthy liver function thanks to the presence of organosulfur compounds such as allicin.

Biotin is another key ingredient in CanXida Remove that can help with liver function and the body's natural detoxification processes.

Also, many detoxification processes occur in the intestines, and, by helping you remove bad bacteria, yeasts, parasites and viruses while leaving your good bacteria unharmed, CanXida Remove will help you re-establish a healthy intestinal environment, therefore allowing for an efficient and effective detoxification process.

Q. Can CanXida Remove (Formula RMV) be integrated into a therapeutic dietary plan, such as a low FODMAP diet or an anti-inflammatory diet?

Yes it can, in fact, it's quite complementary to the low FODMAP diet as well as anti-inflammatory diets.

Garlic is typically not allowed in low FODMAP diets, however, the dosage in CanXida Remove is concentrated down and standardized for its allicin content, therefore minimizing the fructan content of the garlic.

As for anti-inflammatory diets, CanXida Remove works well with them as it aims to reduce inflammation by removing pathogens from your gut that can be causing inflammation, so CanXida Remove can even help accelerate your results while your diet will help you maintain those results over time.

Q. How does CanXida Remove (Formula RMV) interact with other holistic interventions, like herbal remedies, acupuncture, or stress management techniques?

It's always wise to double check with any practitioner or professional providing you with an intervention or therapy first just to be safe, as certain herbal remedies may involve doubling up on certain ingredients already present in CanXida Remove, and too much of certain ingredients such as clove could create unnecessary stress on your liver.

As for acupuncture and stress management techniques, CanXida Remove could be a great accompaniment as a low stress environment is very conducive to the proper healing of the gut and the creation and maintenance of a healthy environment where your good bacteria can thrive.

Q. Are there any contraindications or precautions for using CanXida Remove (Formula RMV) in individuals with specific health conditions, such as autoimmune diseases, hormonal imbalances, or metabolic disorders?

We highly recommend you always check with your doctor before taking CanXida Remove while dealing with certain conditions, especially if those conditions require prescription drugs as part of their treatment.

There are contraindications with certain types of drugs and the ingredients in CanXida Remove and these include statins, blood thinners (such as warfarins) and immunosuppressants.

So be wise, check with your doctor first, but be optimistic, in most cases there's always a way to make it work.

Q. How does CanXida Remove (Formula RMV) support gut health in relation to other body systems, like the endocrine system or the immune system?

CanXida Remove can support these systems by removing bad bacteria, yeasts, parasites and viruses while leaving good bacteria untouched, therefore creating a favourable gut environment.

In a favourable environment where good bacteria are allowed to flourish, the production of certain neurotransmitters such as serotonin will occur, a key contribution to your endocrine system.

And, a favourable gut environment will produce more immune cells, therefore playing an important role in supporting your immune system.

Q. How does CanXida Remove (Formula RMV) support the body's natural detoxification pathways? Does it aid in liver function, lymphatic drainage, or elimination processes?

CanXida Remove supports your body's natural detoxification pathways in many ways.

It aids liver function through the organosulfur compounds provided by Garlic (allicin being a key one) as well as through the presence of biotin.

In regards to the lymphatic system, a healthy digestive system complements your lymph system, so by focusing on removing pathogens such as bad bacteria, yeasts, parasites and viruses while leaving your good bacteria unharmed and allowed to thrive, CanXida Remove can also assist with the healthy functioning of your lymphatic system.

As for your elimination processes, by restoring a healthy environment in your small and large intestines, your body will be able to complete its elimination process effectively, producing healthy stools that play a key role in your body's natural detoxification process.

Q. Can CanXida Remove (Formula RMV) be used as part of an elimination diet or a Candida diet plan?

Yes it can, it was specifically designed to work well with the Candida Crusher diet developed by the New Zealand based Naturopath Mr Eric Bakker and help accelerate your results vs completing the diet alone.

It works well alongside any other candida diet plan to help you speed up your results and the combination of CanXida Remove plus an effective diet can help you achieve much better results than either of these strategies alone.

It also works well with an elimination diet, however, please double check the objectives of your specific elimination with the individual ingredients in CanXida Remove just to be extra sure before beginning.

Q. Are there any known interactions of CanXida Remove (Formula RMV) with common supplements recommended by naturopaths, such as probiotics, digestive enzymes, or adaptogenic herbs?

While there are interactions with certain pharmaceutical drugs, there are no interactions with any common supplements including probiotics, digestive enzymes or adaptogenic herbs.

The only real risk to be aware of is avoiding doubling down on certain ingredients already present within the CanXida Remove formula, for example, we do not recommend taking any additional Clove on top of what's already present in the CanXida Remove formula as if levels become excessive, they can create unnecessary stress on your liver.

A similar amount of caution should also be taken with pau d'arco, so always double check the ingredients in all the supplements you take to avoid doubling up on any of the ingredients in CanXida Remove.

Q. Is there a protocol or recommended approach for gradually introducing CanXida Remove (Formula RMV) to clients, particularly those with sensitive systems or severe gut imbalances?

Yes. In general, we recommend everyone start with just 1 tablet per day, taken with lunch for your entire first week.

If this is successful, we encourage you to increase your dosage to 2 per day: 1 at breakfast and one at lunch, always with food.

If you experience discomfort or side effects at the 1 tablet dosage, we recommend you stop taking it until these subside, then re-introduce it at just a ½ tablet dose per day.

If you are successful at a ½ tablet dose, you can then increase to 1 tablet, and then after another week, increase it to 2.

This is also advisable on the way out too, for example, if you've been taking CanXida Remove for 6+ weeks or a few months and you are experiencing the benefits and no longer suffering any symptoms of infection, we recommend you decrease step by step, going down from 3 tablets to 2, and then 1 etc. As stopping cold turkey can also sometimes produce side effects similar to those you may experience when first starting.

Q. Can CanXida Remove (Formula RMV) be used alongside other gut healing supplements such as L-glutamine, collagen, or bone broth?

Yes it can, in fact, it may even help enhance the performance of these supplements by creating a more favourable gut environment for them to be absorbed in.

And, they can work as a team, potentially accelerating your results at a faster rate vs taking any of these supplements in isolation.

Q. Are there any considerations or special instructions for using CanXida Remove (Formula RMV) in clients with a history of chronic antibiotic use?

Yes. Start slow.

If you have a history of chronic antibiotic use, you're more likely to have a fragile gut, leaving you more prone to discomfort or side effects for any supplement you add to your routine, including CanXida Remove.

If you experience discomfort when taking your first tablet of CanXida Remove, we recommend you scale it back to just a ½ tablet per day for the first week, and, if this is still too much, try a ¼ tablet and build up from there.

You absolutely can build up to a full 3+ tablets per day like most of our customers, we just advise you to take a slower journey to help reduce your chances of discomfort or side effects.

Q. Are there any circumstances or conditions under which you would recommend against using CanXida Remove (Formula RMV)?

Yes, if you have severe inflammatory disorders like crohn's or are recovering from surgery on any part of your digestive system, we recommend you approach things with extreme caution just to be safe.

Please talk with your doctor first before introducing CanXida Remove into your situation and if you are given the all clear, we recommend you start very slowly with just a ½ tablet dosage per day for your first week, taken with food at lunch time.

Q. How does CanXida Remove (Formula RMV) interact with prescription medications, such as antibiotics or antifungals? Are there any known interactions that practitioners should be aware of?

When it comes to antibiotics and antifungals, we don't recommend taking them at the same time as CanXida Remove.

Instead, we recommend you run your full course of treatment of your prescribed antibiotics or antifungals and then introduce CanXida Remove as the next weapon in your arsenal.

If you try to have everything at once it won't necessarily accelerate your results and is a waste of resources at best and the potential cause of discomfort at worst.

In regards to known interactions, one thing to be aware of is the potential of Grapefruit Seed Extract (GSE) to interact negatively with certain types of drugs such as statins, blood thinners and immunosuppressants, so please check with your doctor first before taking CanXida Remove if you are taking any of these kinds of drugs.

Q. Can CanXida Remove (Formula RMV) be used as a preventative measure for patients with a high risk of gut dysbiosis, such as those who frequently travel or those under high stress?

Yes it can.

In fact, many of our customers, even those who have already successfully treated an infection in the past, will still take some CanXida Remove with them when traveling as a preventative measure.

Traveling to a foreign place and eating different foods than you normally do always comes with the chance of gut issues so taking CanXida Remove in this situation for the duration of your travels can be a smart strategy.

For those under high stress, taking CanXida Remove alongside other strategies to manage your stress such as exercise and meditation & mindfulness can also work well as a temporary preventative measure.

Q. How does CanXida Remove (Formula RMV) work in cases of stubborn or recurrent Candida overgrowth that hasn't responded to other treatments?

CanXida Remove can give you a chance at dealing with stubborn or recurrent candida overgrowth as it contains many ingredients that candida cannot become resistant to.

For example, eugenol, the active ingredient found in clove, has been found to be effective against yeast strains that have become resistant to “azole” medications, one of the most common types of anti-fungal drugs used to treat yeast infections.

And when it comes to garlic, yeast absolutely hates it and cannot develop a resistance to it and our standardized aged garlic extract is especially effective against resistant yeast strains.

Q. Can CanXida Remove (Formula RMV) be used in protocols for patients with other fungal overgrowths, such as mold exposure or mycotoxin illness?

Yes it can be.

CanXida Remove is designed to be effective for people with any kind of fungal infection and this includes those caused by mold exposure.

Whether the fungal infection is caused by taking antibiotics, by environmental conditions such as mold exposure or any other method, the formula will be effective against the infection regardless of its initial cause.

However, when it comes to any kind of mold or mycotoxin illness, the best thing you can do for your long term health is to get out of the environment that is causing it, if this means changing jobs or even moving houses, it may sound drastic, but it may be the best thing you can do for your long term health.

Q. Are there any considerations for using CanXida Remove (Formula RMV) in clients with a history of gastrointestinal surgeries, such as gastric bypass or gallbladder removal?

First, we recommend you speak with your doctor before introducing any new dietary supplement to your routine after gastric bypass surgery or gallbladder removal.

From there, if you have the all clear, we recommend you start at a lower dose than our other customers as you are likely to have a more sensitive digestive system after having either of these procedures.

Please start with just a ½ tablet per day taken with food, preferably at lunch, for the entire first week, if all goes well, progress to 1 tablet per day for the next week and keep going up from there each week until you reach 3+ per day.

Q. Does CanXida Remove (Formula RMV) have any effects on nutrient absorption? Should it be taken away from certain supplements or medications to prevent interactions?

CanXida Remove can have a positive effect on nutrient absorption thanks to improving the strength of your stomach acid and its ability to properly break down the foods you eat and enhancing the function of the enzymes present in your small intestines by creating an optimal Ph for them to function in.

A consideration for supplements is to avoid doubling up on any individual ingredients in the CanXida Remove formula, for example, we don't recommend taking additional clove on top of what's already in CanXida Remove as this can cause unnecessary stress on your liver.

In regards to prescription medications, the ingredient Grapefruit Seed Extract (GSE) in CanXida Remove has potential interactions with statins, blood thinners and immunosuppressants so we recommend you speak with your doctor first before taking CanXida Remove if you are taking any of these drugs.

Q. Are there any specific dietary recommendations that should be followed while taking CanXida Remove (Formula RMV) to enhance its effectiveness?

Yes, the Candida Crusher diet designed by the New Zealand based naturopath Mr Eric Bakker, who also designed the CanXida formulas, is an ideal diet to follow while taking CanXida Remove in order to enhance its effectiveness.

In general, eating more "real" foods and less processed ones can make a big difference, so any diet with an emphasis on this is a step in the right direction.

We recommend nutritious foods such as quality meats, eggs and fish, green leafy vegetables (but not kale, it's too hard to digest) and raw nuts.

Q. Can CanXida Remove (Formula RMV) be used in conjunction with therapies like fecal microbiota transplant (FMT) or probiotic enemas?

Yes, however, we do not recommend doing them at the exact same time, rather, it's best to wait a little bit between treatment and beginning CanXida Remove.

For a Fecal Microbiota Transplant (FMT) we recommend waiting at least a week or two, or until you feel like things have stabilized after the procedure.

For probiotic enemas, you don't have to wait as long, in this case, a few days should be fine, again, depending on how you feel, if you're experiencing bloating, loose stools or other side effects after the probiotic enema, we recommend waiting a little longer to give things a chance to stabilize before adding CanXida Remove to your routine.

Q. Are there any common misconceptions or mistakes that practitioners should be aware of when recommending CanXida Remove (Formula RMV) to their patients?

Yes. A key one would be to separate any existing therapies from the use of CanXida Remove to avoid overloading your system and causing more side effects, this is especially important if a patient is already taking antibiotics or anti fungal drugs, we recommend your patient wait until this treatment is completed first before beginning CanXida Remove.

Another one would be to start too boldly, less is more when beginning with CanXida Remove and even though technically a patient could achieve results faster by taking more, it's really not worth the risk of additional discomfort or side effects which may demotivate them from wanting to stick with the product for the full 6+ weeks recommended for most people.

Instead, ease them into it gently with just 1 tablet per day for the first week and go up from there.

Q. Is CanXida Remove (Formula RMV) effective as a standalone treatment, or should it be combined with other interventions for optimal results?

It is effective as a standalone treatment.

However, it can work even better when combined with the right additional interventions and strategies.

A key one is positive dietary changes such as minimizing processed foods and eating mostly high quality meats, vegetables, raw nuts and a small amount of low sugar, nutritious fruits such as blueberries.

In regards to other supplements, CanXida Remove works very well alongside its sister products CanXida Restore and CanXida Rebuild and these can be added in to your routine already on week 2 of your treatment with CanXida Remove.

Q. Can CanXida Remove (Formula RMV) be safely used in protocols for patients with histamine intolerance or Mast Cell Activation Syndrome (MCAS)?

Yes it can.

CanXida Remove aims to treat yeast infections and too much yeast is a common cause of MCAS and other histamine related issues.

In addition to adding CanXida Remove to dietary protocols for histamine intolerance and Mast Cell Activation Syndrome (MCAS), there are also some other dietary supplements we recommend adding to your routine to help you even further.

Vitamin C is an important one and acts as a natural antihistamine.

Bioflavonoids (nutrients often found alongside Vitamin C in nature) can also help, a key one in this situation being Quercetin.

Digestive enzymes can also help and this is where taking CanXida Restore can help you as it provides 7 carefully selected and highly effective digestive enzymes.

Q. Are there any specific contraindications or precautions for using CanXida Remove (Formula RMV) with clients who have autoimmune conditions?

CanXida Remove can help greatly with autoimmune conditions as improving gut health often leads to an improvement of symptoms in people who suffer from autoimmune conditions.

However, there is 1 potential contraindication with CanXida Remove and people with autoimmune conditions.

If you are taking immunosuppressant drugs (such as corticosteroids) we recommend you ask your doctor first before taking CanXida Remove as the Grapefruit Seed Extract (GSE) found in CanXida Remove has the potential for negative interactions with this class of drugs.

Q. Does CanXida Remove (Formula RMV) address other aspects of gut health, such as bile production, digestive enzyme secretion, or stomach acid regulation?

Yes, in a positive way.

Caprylic Acid, Undecylenic Acid and Betaine HCL all work together to decrease the Ph of your stomach acid, therefore strengthening it and improving your ability to properly break down and digest the foods you eat.

And, by also lowering the Ph in your small intestine, these 3 ingredients create an ideal environment for your digestive enzymes to do their best work and extract vitamins, minerals and other nutrients out of the foods you eat.

Berberine, one of the key ingredients in the CanXida Remove formula, helps to stimulate bile production, further improving your digestive powers and your ability to break down fats.

Q. Can CanXida Remove (Formula RMV) be used as a preventative measure in clients with a predisposition to gut dysbiosis, such as those with a family history of autoimmune disease or gut disorders?

Yes.

CanXida Remove works to fight against yeasts, bad bacteria, parasites and viruses and if you're more vulnerable than others to these kinds of pathogens taking hold in your gut, using CanXida Remove as a preventative measure may prove to be quite effective for you.

However, if you're currently taking any prescription drugs for your condition, please check with your doctor first before taking CanXida Remove in case of potential interactions, especially so if you're taking immunosuppressants to treat an autoimmune disease as this class of drugs can potentially interact negatively with a key ingredient in the CanXida Remove formula: Grapefruit Seed Extract (GSE).

Q. Does CanXida Remove (Formula RMV) support gut health in clients undergoing treatments that may impact the gut microbiome, such as chemotherapy or long-term antibiotic use?

Yes, however, we do not recommend taking CanXida Remove at the same time as any of these kinds of treatments as it may be overkill and more likely to cause side effects in this situation.

Instead, we recommend you wait for a break in your treatment to introduce CanXida Remove, not only does this reduce the chances of side effects but it also has the potential to make your other treatments even more effective by continuing to fight against bad bacteria, yeasts, parasites and viruses while you're having a break from them.

Q. How does CanXida Remove (Formula RMV) support the balance of electrolytes in the gut, which is crucial for overall gut health and function?

By fighting against bad bacteria, yeasts, parasites and viruses while leaving your good bacteria unharmed, allowing them to flourish and multiply, CanXida Remove can help you create a more favourable environment for the absorption of all nutrients, including electrolytes.

By optimizing your small intestine's pH, CanXida Remove enhances digestive enzyme efficiency, deters parasites, yeasts, harmful bacteria, and viruses from electrolyte consumption. It also boosts electrolyte absorption in your small and large intestines, pivotal for overall digestive health.